



# Product catalogue 2020





## The wedi principle for new builds and renovations

The modular wedi system allows unlimited possibilities in customised bathroom and wet room design. Whether it's a new build or a renovation, wedi offers perfectly coordinated products which can be combined with one another any way you like to suit any requirement in a bathroom – from simple building boards through numerous shower and bath elements to appropriate installation and sealing accessories.

### wedi headquarters

Telephone + 49 2572 156-0  
E-Mail info@wedi.de

### Sales enquiries

Fax + 49 2572 156-133  
E-Mail sales@wedi.de

### SPA & wellness enquiries

Telephone + 49 2572 156-0  
Fax + 49 2572 156-239  
E-Mail project@wedi.de

### Technical enquiries

Telephone + 49 2572 156-0  
Fax + 49 2572 156-133  
E-Mail TechSystem@wedi.de



New build initial situation



Renovation initial situation



Complete solution with wedi

Point shower systems

Linear shower systems

Design and shape

Building systems

System accessories

Technical data

Good to know

# Quick reference



## 01 Point shower systems

Shower floor kits ..... 12  
Fundö Top Slim-Kit

Complete shower elements ..... 13  
Fundö Integro, Plano

Shower elements ..... 14  
Fundö Primo, Ligno, Borgo,  
Trollo, Nautilo

Substructure element  
and sloping boards ..... 17

Point drains ..... 18

Drain grids  
and frames ..... 21

Ready-to-use surfaces ..... 25  
Fundö Top for Fundö Primo, Plano

## 02 Linear shower systems

Complete shower elements ..... 32  
Fundö Plano Linea

Shower elements ..... 32  
Fundö Riolito neo, Riolito, Riofino

Substructure element  
and sloping boards ..... 35

Drain systems ..... 35

Attachment elements ..... 37  
Fundö Discreto

Channel covers  
and frames ..... 37

Profiles ..... 39  
Slope profiles, end profiles

Ready-to-use surfaces ..... 43  
Fundö Top for Fundö Riolito neo

## 03 Design and shape

Ready-to-use surfaces ..... 48  
wedi Top Wall

Benches and seats ..... 49  
Sanoasa benches, corner seat element,  
Comoda, Bellina

Loungers ..... 57

Plumbing and  
bathroom furniture ..... 59  
Sanbath wash stands,  
tubs, shower units

**i** To make things easier:

The wedi range has been rearranged and is now divided into 5 sections. The alphabetical list of all wedi products can be found on pages 138/139. An explanation of the amended product tables can be found on page 137.



## 04 Building systems

Building boards .....	64
Building board, XL, XXL, Vapor 85, Vapor, Construct, PreLine	
Functional elements .....	66
Mensolo, Bathboard, I-Board, Sanwell niches	
Wall elements .....	67
Sanwell wall element, Fundo Trollo, Nautilo	
Doors .....	70
wedi Fundo glass door, wedi Eterna glass door	

## 05 System accessories

Adhesion .....	74
wedi 320, wedi 360, wedi 610	
Sealing and decoupling .....	74
wedi 620, wedi 520, Fundo sealing set, sealing tape, corners, sloped lip-end sealing tapes, sealing gaiters, wedi Subliner, joint reinforcement tape	
Fixing .....	78
wedi Tools washer, dowels, wedi Top Wall installation set, wedi Tools connector	
Sound insulation .....	81
wedi Nonstep	

## 06 Technical data

Point shower systems .....	86
Technical drawings	
Linear shower systems .....	103
Technical drawings	
Design and shape .....	113
Technical drawings	
Building systems .....	123
Technical drawings	

## 07 Good to know

Spa and Wellness .....	130
Guarantee services .....	132
Sealing in the system .....	134
Information about tiling .....	136
Information about the price list ...	137
Index .....	138

# The system at a glance


You are now familiar with the exceptional wedi principle and looking through the table of contents, you should quickly and easily find the products and system solutions you require. So that you are as well prepared as possible for the modernisation, renovation or completely new installation of your wet room, you will find a few questions below which you may encounter, particularly in the planning phase – we provide you with appropriate answers and recommendations to these in the corresponding price list section.

What are the benefits of the modular system with certified sealing concept?



Info on this from page 134

What seating options are available for the shower?



Info on this from page 49

How do you create an optical wall drain?



Info on this from page 37


## What is the difference between a complete shower element and a classic shower element?



Info on this from page 9

Did you know that there is a high-quality  
seamless alternative to tiling?

How do you combine  
partition walls and niches?



Info on this from pages 25, 43, 48




Info on this from page 67

# 01

## Point shower systems

wedi provides all of the components required to create a sophisticated shower area with point drainage. From the flush-to-floor shower element through the surface to matching drains incl. covers. The best thing: all wedi system components can be combined with one another.





### Complete shower system

The complete shower system with point drainage has a drain which is integrated into the shower element in the factory. The matching drain grid and sealing tools are already included in the scope of delivery.

#### Included in the scope of delivery:

- | wedi Fundo shower element with integrated drainage technology (from page 13)
- | Matching drain cover
- | Sealing corners for the sealing and waterproofing of filled recesses

#### Required system components:

- | Sealing e.g. wedi Fundo sealing set (on page 75)
- | Tile adhesive e.g. wedi 320 (on page 74)



### Classic shower system

The classic shower system consists of a wedi Fundo shower element with point drainage, as well as a corresponding drain body which is available separately in different versions. A standard drain cover is always included in the scope of delivery with the drain. Designer drain covers can be ordered optionally.

#### Included in the scope of delivery:

- | wedi Fundo shower element with point drainage (from page 14)

#### Required system components:

- | Matching drain body incl. standard drain cover (from page 18)
- | Sealing e.g. wedi Fundo sealing set (on page 75)
- | Tile adhesive e.g. wedi 320 (on page 74)

### Fundo Ligno

The flush-to-floor shower element, which is only 20 mm thick at its outer edge, was especially developed for use in old and new buildings with suspended timber floors. In contrast to conventional shower elements, the Fundo Ligno is adapted to the covering layer of wood and so can be integrated wonderfully into it – without having to add additional height.


### Tileable drain grid

wedi offers a tileable drain cover especially for wedi Fundo shower elements with point drainage which can be furnished with the tiles of your choice. Made from solid stainless steel, the drain cover can be combined with both vertical and horizontal Fundo drains. The blackened channel provides a visual highlight.

# Overview of wedi Fundo® point shower systems

wedi Fundo point shower systems provide you with all of the necessary co-ordinated components that you need to install and seal a wedi flush-to-floor shower element.

- Perfect for installation in both screed and suspended timber floors
- In a square, rectangular, round, quadrant or shell-shaped design
- With central or offset drain position
- With either vertical or horizontal drainage
- Easy installation and sealing with appropriate wedi accessories



## The system variants at a glance

System variant	wedi Fundo shower system point drainage, vertical	wedi Fundo shower system point drainage, horizontal	wedi Fundo shower system point drainage, horizontal, Mini Max
Shower element height	measured at the outer edge	measured at the outer edge	measured at the outer edge
Drain bowl height	omitted in this installation situation	85 mm	57 mm

For total installation height, the adhesive bed thickness must be incorporated.

## Required system components

System component	wedi product
Shower element	wedi Fundo shower element with point drainage
Drain	wedi Fundo point drain suitable for wedi shower elements with point drainage
	vertical DN 50 vertical DN 50 fire protection collar vertical DN 70 vertical DN 70 fire protection collar
Sealing	wedi Fundo sealing set includes all components for sealing of the joints between the wedi Fundo shower element and adjoining areas
Installation material	wedi 320 flexible cement based Adhesive

## Optional system components


System component	wedi product
Sound insulation	wedi Nonstep ProS sound insulation mat* wedi Tools edge insulation strips for acoustic decoupling between the shower element and the wall
Accessories	wedi Fundo substructure set Substructure element for height compensation wedi Fundo designer drain cover wedi Fundo drain frame wedi Fundo drain substructure element suitable for Fundo Ligno and Fundo Primo shower elements with vertical / horizontal DN 50 drain Fundo Top ready-to-use surface** tailor-made surfaces for wedi Fundo shower elements

\* When using the sound insulation mat, the installation height is increased by 9 mm.

\*\* When using the Fundo Top surface, the installation height is increased by 6 mm.



## Fundo Top® Slim-Kit shower floor kit ▪ square



	length × width × thickness	content	order no.	GTIN
	900 × 900 × 30 mm	1 construction kit / box	072060000	4024125118101
	1.200 × 1.200 × 30 mm	1 construction kit / box	072060002	4024125119405

**i** ③ The Fundo Top Slim kit is a kit for creating a shower floor including a ready-to-use surface made from mineral material. It can be installed flush-mounted or installed on top. Two matching skirting boards for veneering the sides and the appropriate sealing and installation accessories for installation on the floor are included in the scope of delivery.

**👤** ③ technical drawing: see page 86

**📦** accessories

③ required: wedi Fundo point drain, wedi 520 flexible sealant

**📦** scope of delivery

③ 1 × Fundo Slim shower element

③ 1 × Fundo Top ready-to-use surface, mineral material, white

③ 2 × Fundo Top cladding, mineral material

③ 2 – 4 × wedi 610 adhesive sealant, cartridge

③ 2 × wedi Tools inside corners

③ 1 × wedi Tools sealing tape, 6 m

③ 1 × installation aid for installation in screed

delivery time approx. 2 weeks ex-works.

outer packaging/pallet edging

③ pallet edging 10 units

## Fundo Top® Slim-Kit shower floor kit ▪ rectangular



	length × width × thickness	content	order no.	GTIN
	1.200 × 900 × 30 mm	1 construction kit / box	072060001	4024125119382
	1.400 × 900 × 30 mm	1 construction kit / box	072060003	4024125119443
	1.600 × 1.000 × 30 mm	1 construction kit / box	072060004	4024125119467
	1.800 × 900 × 30 mm	1 construction kit / box	072060005	4024125119429

**i** ③ The Fundo Top Slim kit is a kit for creating a shower floor including a ready-to-use surface made from mineral material. It can be installed flush-mounted or installed on top. Two matching skirting boards for veneering the sides and the appropriate sealing and installation accessories for installation on the floor are included in the scope of delivery.

**👤** ③ technical drawing: see page 86

**📦** accessories

③ required: wedi Fundo point drain, wedi 520 flexible sealant

**📦** scope of delivery

③ 1 × Fundo Slim shower element

③ 1 × Fundo Top ready-to-use surface, mineral material, white

③ 1 × Fundo Top cladding, short side, mineral material

③ 1 × Fundo Top cladding, long side, mineral material

③ 2 – 4 × wedi 610 adhesive sealant, cartridge

③ 2 × wedi Tools inside corners

③ 1 × wedi Tools sealing tape, 6 m

③ 1 × installation aid for installation in screed

delivery time approx. 2 weeks ex-works.

outer packaging/pallet edging

③ pallet edging 10 units

## Fundo Integro® complete shower element ■ DN 50



	length × width × thickness	order no.	GTIN
square, drain central	900 × 900 × 90 mm	075900004	4024125095365
square, drain central	1.000 × 1.000 × 90 mm	075900008	4024125103022
square, drain central	1.200 × 1.200 × 90 mm	075900007	4024125095426
rectangular, drain central, short side connection	1.200 × 900 × 90 mm	075900005	4024125095389
rectangular, drain central, long side connection	1.200 × 900 × 90 mm	075900006	4024125095402
rectangular, drain offset	1.200 × 900 × 90 mm	075900000	4024125095563
rectangular, drain offset	1.400 × 900 × 90 mm	075900001	4024125095280
rectangular, drain offset	1.600 × 1.000 × 90 mm	075900002	4024125095327
rectangular, drain offset	1.800 × 900 × 90 mm	075900003	4024125095341

- i** ⓘ The drainage of the Fundo Integro range is integrated into the shower elements during the manufacturing process. A suitable drain cover and a sealing sheet for the pipe inlet area is included in the scope of delivery.
- ⓘ Fundo Integro is the slimmest standard-compliant flush-to-floor shower element from wedi with integrated drain technology (DN 50), preformed slope and drain cover. It is fully sealed and installed in the blink of an eye.
- ⓘ The Fundo shower element conforms to DIN EN 1253 and EN 12056.
- ⓘ absorption capacity: 0.80 Litre/Second

**✉** ⓘ technical drawing: see page 88

**⊕** ⓘ accessories

ⓘ optional: wedi Fundo drain grates, wedi Fundo sealing set

**⊕** ⓘ scope of delivery

- ⓘ 1 × Fundo Integro complete shower element
- ⓘ 1 × Fundo drain grid 6.1, stainless steel V<sub>2</sub>A brushed, 115 × 115 mm
- ⓘ 1 × plastic frame
- ⓘ 1 × sealing corner, 800 × 800 mm
- ⓘ 1 × extension collar, height 40mm
- ⓘ 1 × lubricant

ⓘ outer packaging/pallet edging


ⓘ pallet edging 10 units



PLUS X AWARD  
2017 achieved for:  
Innovation  
High Quality  
Functionality

## NEW Fundo Plano®complete shower element ■ DN 40

FROM 01.04.2020



	length × width × thickness	order no.	GTIN
square, drain central	900 × 900 × 65 mm	073735625	4024125127301
square, drain central	1.000 × 1.000 × 65 mm	073735626	4024125127318
rectangular, drain central, short side connection	1.200 × 900 × 65 mm	073735630	4024125127332
rectangular, drain central, long side connection	1.200 × 900 × 65 mm	073735631	4024125127349
square, drain central	1.200 × 1.200 × 65 mm	073735627	4024125127325
rectangular, drain offset	1.400 × 900 × 65 mm	073735620	4024125127288
rectangular, drain offset	1.600 × 1.000 × 65 mm	073735621	4024125127295

- i** ⓘ The Fundo Plano has been optimised to allow for a height adjustment of the grid frame, therefore the old range has been replaced by a new one. The current range offers the exact same product sizes but carry new product numbers (see above) to avoid confusion with the old range.

ⓘ The drainage of the Fundo Plano range is integrated into the shower elements during the manufacturing process. A suitable drain cover and a sealing sheet for the pipe inlet area is included in the scope of delivery.

ⓘ The DN 40 horizontal drain is integrated into the shower element.

ⓘ absorption capacity: 0.50 Litre/Second

**✉** ⓘ technical drawing: see page 90

**⊕** ⓘ accessories

ⓘ optional: Fundo Top ready-to-use surface

**⊕** ⓘ scope of delivery


- ⓘ 1 × Fundo Plano
- ⓘ 1 × drain grid, stainless steel V<sub>2</sub>A brushed, 132 × 132 mm
- ⓘ 1 × sealing corner, 800 × 800 mm
- ⓘ 1 × extension collar, height 24 mm
- ⓘ 1 × lubricant

ⓘ outer packaging/pallet edging

ⓘ pallet edging 10 units



PLUS X AWARD  
achieved for:  
Innovation  
High Quality  
Functionality

**OLD Fundo Planö complete shower element ■DN 40****UNTIL 31.03.2020**

	length × width × thickness	order no.	GTIN
square, drain central	900 × 900 × 65 mm	073735600	4024125630535
square, drain central	1.000 × 1.000 × 65 mm	073735601	4024125630542
rectangular, drain central, short side connection	1.200 × 900 × 65 mm	073735604	4024125063722
rectangular, drain central, long side connection	1.200 × 900 × 65 mm	073735603	4024125630566
square, drain central	1.200 × 1.200 × 65 mm	073735602	4024125630559
rectangular, drain offset	1.400 × 900 × 65 mm	073735605	4024125079945
rectangular, drain offset	1.600 × 1.000 × 65 mm	073735606	4024125079969

**i** ③ This Fundo Planö range will be replaced with an optimised version of this range in the 1st quarter of 2020. The new range can be found above. Please feel free to contact us with questions about the date of effect.

④ The drainage of the Fundo Planö range is integrated into the shower elements during the manufacturing process. A suitable drain cover and a sealing sheet for the pipe inlet area is included in the scope of delivery.  
⑤ absorption capacity: 0.50 Litre/Second

**👤** ③ technical drawing: see page 90

**📦+** accessories


⑥ optional: Fundo Top ready-to-use surface

**👑** scope of delivery

⑦ 1 × Fundo Planö  
⑧ 1 × drain grid, stainless steel V<sub>2</sub>A brushed, 132 × 132 mm  
⑨ 1 × sealing corner, 800 × 800 mm  
⑩ 1 × extension collar, height 24 mm  
⑪ 1 × lubricant

outer packaging/pallet edging

⑫ pallet edging 10 units

**Fundo Primo® shower element ■square, drain central**

	length × width × thickness	order no.	GTIN
	900 × 900 × 40 mm	073735170	4024125083973
	1.000 × 1.000 × 40 mm	073735131	4024125083966
	1.200 × 1.200 × 40 mm	073735171	4024125083980
	1.500 × 1.500 × 40 mm	073735175	4024125083997

**👤** ③ technical drawing: see page 91

**📦+** accessories

④ required: wedi Fundo point drain

⑤ optional: Fundo Top ready-to-use surface

**👑** outer packaging/pallet edging

⑥ pallet edging 10 units

**Fundo Primo® shower element ■square, drain offset**

	length × width × thickness	order no.	GTIN
	900 × 900 × 40 mm	073736170	4024125084017
	1.000 × 1.000 × 40 mm	073735531	4024125035408
	1.200 × 1.200 × 40 mm	073736171	4024125084024
	1.500 × 1.500 × 40 mm	073736175	4024125035385

**👤** ③ technical drawing: see page 92

**📦+** accessories

④ required: wedi Fundo point drain

**👑** outer packaging/pallet edging

⑤ pallet edging 10 units

## Fundo Primō shower element ▪ rectangular, drain central



	length × width × thickness	order no.	GTIN
	900 × 750 × 40 mm	073735176	4024125006040
	1.200 × 900 × 40 mm	073735174	4024125084000
	1.400 × 900 × 40 mm	073735196	4024125005630
	1.400 × 1.000 × 40 mm	073735198	4024125005661
	1.500 × 900 × 40 mm	073736120	4024125005654
	1.500 × 1.000 × 40 mm	073736121	4024125005678
	1.800 × 900 × 40 mm	073735580	4024125035422

③ technical drawing: see page 92

accessories


① required: wedi Fundo point drain

② optional: Fundo Top ready-to-use surface

outer packaging/pallet edging

③ pallet edging 10 units

## Fundo Primō shower element ▪ rectangular, drain offset



	length × width × thickness	order no.	GTIN
	1.200 × 900 × 40 mm	073736174	4024125005647
	1.400 × 900 × 40 mm	073735150	4024125089142
	1.600 × 900 × 40 mm	073735151	4024125089166
	1.600 × 1.000 × 40 mm	073735152	4024125089180
	1.800 × 900 × 40 mm	073735180	4024125035361
	2.000 × 1.000 × 40 mm	073736176	4024125120906

③ technical drawing: see page 93

accessories


① required: wedi Fundo point drain

② optional: Fundo Top ready-to-use surface

outer packaging/pallet edging

③ pallet edging 10 units

## Fundo Lignō shower element ▪ square, drain central



	length × width × thickness	order no.	GTIN
	900 × 900 × 20 / 41 mm	073732011	4024125053822
	1.200 × 1.200 × 20 / 41 mm	073732012	4024125053846
	1.500 × 1.500 × 20 / 41 mm	073732013	4024125053860

③ Fundo Ligno shower elements are specially developed for use in old and new buildings with suspended timber floors. The Fundo Ligno is just 20 mm thick in the border area and can thus easily be integrated into the covering layer of wood without creating extra height.

③ technical drawing: see page 95

accessories


① required: wedi Fundo point drain

② optional: Fundo drain-substructure element

outer packaging/pallet edging

③ pallet edging 10 units

## Fundo Ligno® shower element ▪ square, drain offset



	length × width × thickness	order no.	GTIN
	900 × 900 × 20 / 41 mm	073732021	4024125053884
	1.200 × 1.200 × 20 / 41 mm	073732023	4024125054348

**i** ③ Fundo Ligno shower elements are specially developed for use in old and new buildings with suspended timber floors. The Fundo Ligno is just 20 mm thick in the border area and can thus easily be integrated into the covering layer of wood without creating extra height.

**i** ③ technical drawing: see page 96


**+/-** accessories

① required: wedi Fundo point drain

① optional: Fundo drain-substructure element

**+** outer packaging/pallet edging  
③ pallet edging 10 units

## Fundo Ligno® shower element ▪ rectangular, drain offset



	length × width × thickness	order no.	GTIN
	1.200 × 900 × 20 / 41 mm	073732022	4024125054324
	1.600 × 900 × 20 / 41 mm	073732024	4024125054362

**i** ③ Fundo Ligno shower elements are specially developed for use in old and new buildings with suspended timber floors. The Fundo Ligno is just 20 mm thick in the border area and can thus easily be integrated into the covering layer of wood without creating extra height.

**i** ③ technical drawing: see page 97

**+/-** accessories

① required: wedi Fundo point drain

① optional: Fundo drain-substructure element

**+** outer packaging/pallet edging  
③ pallet edging 10 units

## Fundo Borgo® shower element ▪ quadrant, drain offset



	length × width × thickness	order no.	GTIN
	900 × 900 × 40 mm	073735576	4024125035446
	1.000 × 1.000 × 40 mm	073736576	4024125084079

**i** ③ technical drawing: see page 98


**+/-** accessories

③ required: wedi Fundo point drain

**+** outer packaging/pallet edging  
③ pallet edging 10 units


## Fundo Trollo<sup>®</sup> shower element ▪ round, drain central

for Fundo Trollo wall element



## Fundo Nautilo<sup>®</sup> shower element ▪ shell-shaped

for Fundo Nautilo wall element



## wedi Fundo<sup>®</sup> substructure set ▪ square

for Fundo shower elements with point or linear drainage



	length × width × thickness	order no.	GTIN
	900 × 900 × 90 mm	073743010	4024125121286
	1.200 × 1.200 × 90 mm	073743011	4024125121309
	1.500 × 1.500 × 90 mm	073743012	4024125121316

**i** The Fundo substructure set is delivered as a kit. A mount height of 30, 60 or 90 mm is produced with the help of the two elements with different thicknesses. The 3-part drain mount precisely incorporates the various drains.

The Fundo substructure set can easily be shortened to the necessary dimensions in length and width. The appropriate variant and number required depend on the dimensions of the Fundo shower element selected. Order 2 × substructure set 900 × 900 mm for 1,800 × 900 shower elements, order 2 × substructure set 1,200 × 1,200 for 2,000 × 1,000 shower elements.

Freely selectable drain position (depending on the Fundo shower element selected)

**i** The recess for the drain mount and drain pipe is created on the construction site.

technical drawing: see page 99

**+ accessories**

required: wedi Fundo shower element with point drainage, wedi Fundo shower element with linear drainage, wedi Fundo point or channel drain

optional: wedi 320 universal tile adhesive

not compatible: Fundo fire protection collar point drain

**scope of delivery**

1 × EPS substructure element, 60 mm thick

1 × EPS substructure element, 30 mm thick

3 × drain mount for point and channel drains (vertical, horizontal, Mini Max)

outer packaging/pallet edging

pallet edging 10 units

## wedi Fundo® drain-substructure element

for Fundo point drains



- i** ③ Particularly recommended for use in timber floors (e.g. for installation of wedi Fundo Ligno). For secure and precise support for the drain bowl under the Fundo tray.  
③ This element can be shortened by up to 20 mm all round.

- ⊕** accessories  
③ required: wedi Fundo point drain, DN 50  
③ not compatible: Fundo fire protection collar point drain

length × width × thickness


338 × 338 × 82 mm

order no. GTIN

073732090 4024125059657

## wedi Fundo® sloping board

for Fundo Primo



- i** ③ For on-site extension of Fundo Primo shower elements.  
**⊕** ③ technical drawing: see page 99

- ⊕** outer packaging/pallet edging  
③ pallet edging 40 units

length × width × thickness

1.200 × 600 × 40 / 46 mm

order no. GTIN

073737001 4024125078238

1.200 × 600 × 46 / 52 mm

073737002 4024125078252

## wedi Fundo® point drain ▪ vertical, square, DN 50

for Fundo shower elements with point drainage



- i** ③ absorption capacity: 1.10 Litre/Second  
③ Minimum installation depth: 40 mm  
③ The Fundo drain conforms to DIN EN 1253  
**⊕** ③ core drilling diameter: 120 mm  
③ technical drawing: see page 100  
**⊕** accessories  
③ required: wedi Fundo shower element with point drainage

content

1 construction kit / box

order no. GTIN

077000007 4024125073844

- ⊕** scope of delivery  
③ 1 × drain vertical, DN 50  
③ 1 × cap tool  
③ 1 × shower tray screw-type valve  
③ 1 × main sealing collar  
③ 1 × odour trap incl. O ring  
③ 1 × shower insert  
③ 1 × extension collar, height 40 mm  
③ 1 × plastic frame, 120 × 120 mm  
③ 1 × O-ring  
③ 1 × Fundo drain grid 1.1, stainless steel V2A brushed, 115 × 115 mm, square

## wedi Fundo® point drain ▪ vertical, round, DN 50

for Fundo shower elements with point drainage



content	order no.	GTIN
1 construction kit / box	077000008	4024125073981

- i**
  - ① absorption capacity: 1.10 Litre/Second
  - ① Minimum installation depth: 40 mm
  - ① The Fundo drain conforms to DIN EN 1253
  - ① The attachment element simultaneously serves as the support for the drain cover. No special plastic frame is required.
- drill**
  - ① core drilling diameter: 120 mm
  - ① technical drawing: see page 100
- +/-**
  - ① accessories
  - ① required: wedi Fundo shower element with point drainage
- !**
  - scope of delivery
  - ① 1 × drain vertical, DN 50
  - ① 1 × cap tool
  - ① 1 × shower tray screw-type valve
  - ① 1 × main sealing collar
  - ① 1 × odour trap incl. O ring
  - ① 1 × shower insert
  - ① 1 × extension collar, height 40 mm
  - ① 1 × O-ring
  - ① 1 × Fundo drain grid 1.2, stainless steel V2A brushed, 115 × 115 mm, round

## wedi Fundo® point drain ▪ vertical, square, DN 70

for Fundo shower elements with point drainage



content	order no.	GTIN
1 construction kit / box	077000010	4024125074063

- i**
  - ① absorption capacity: 1.00 Litre/Second
  - ① Minimum installation depth: 40 mm
  - ① The Fundo drain conforms to DIN EN 1253
- drill**
  - ① core drilling diameter: 120 mm
  - ① technical drawing: see page 100
- +/-**
  - ① accessories
  - ① required: wedi Fundo shower element with point drainage
- !**
  - scope of delivery
  - ① 1 × drain vertical, DN 70
  - ① 1 × cap tool
  - ① 1 × shower tray screw-type valve
  - ① 1 × main sealing collar
  - ① 1 × odour trap incl. O ring
  - ① 1 × shower insert
  - ① 1 × extension collar, height 40 mm
  - ① 1 × plastic frame, 120 × 120 mm
  - ① 1 × O-ring
  - ① 1 × Fundo drain grid 1.1, stainless steel V2A brushed, 115 × 115 mm, square

## wedi Fundo® point drain fire protection collar ▪ vertical, square, DN 50

for Fundo shower elements with point drainage



content	order no.	GTIN
1 construction kit / box	073749002	4024125005296

- i**
  - ① absorption capacity: 1.00 Litre/Second
  - ① Minimum installation depth: 40 mm
  - ① The Fundo drain conforms to DIN EN 1253
- drill**
  - ① core drilling diameter: 160 mm
  - ① technical drawing: see page 100
- +/-**
  - ① accessories
  - ① required: wedi Fundo shower element with point drainage
  - ① not compatible: Fundo drain-substructure element, Fundo substructure set
- !**
  - scope of delivery
  - ① 1 × drain vertical, DN 50
  - ① 1 × cap tool
  - ① 1 × shower tray screw-type valve
  - ① 1 × main sealing collar
  - ① 1 × odour trap incl. O ring
  - ① 1 × shower insert
  - ① 1 × extension collar, height 40 mm
  - ① 1 × plastic frame, 120 × 120 mm
  - ① 1 × O-ring
  - ① 1 × Fundo drain grid 1.1, stainless steel V2A brushed, 115 × 115 mm, square
  - ① 1 × fire protection
  - ① 1 × fire protection-cap tool

## wedi Fundo® point drain fire protection collar ▪ vertical, square, DN 70

for Fundo shower elements with point drainage

	content	order no.	GTIN
 	<b>content</b> 1 construction kit / box	073749012	4024125119030

**i** ① absorption capacity: 1.00 Litre/Second  
 ② Minimum installation depth: 40 mm  
 ③ The Fundo drain conforms to DIN EN 1253

**⊕** ① core drilling diameter: 160 mm  
 ② technical drawing: see page 100

**⊕** accessories  
 ① required: wedi Fundo shower element with point drainage  
 ② not compatible: Fundo drain-substructure element,  
     Fundo substructure set

**⊕** scope of delivery  
 ① 1 × drain vertical, DN 70  
 ② 1 × cap tool  
 ③ 1 × shower tray screw-type valve  
 ④ 1 × main sealing collar  
 ⑤ 1 × odour trap incl. O ring  
 ⑥ 1 × shower insert  
 ⑦ 1 × extension collar, height 40 mm  
 ⑧ 1 × plastic frame, 120 × 120 mm  
 ⑨ 1 × O-ring  
 ⑩ 1 × Fundo drain grid 1.1, stainless steel V<sub>2</sub>A brushed,  
     115 × 115 mm, square  
 ⑪ 1 × fire protection  
 ⑫ 1 × fire protection-cap tool

## wedi Fundo® point drain Mini Max ▪ horizontal, square, extra flat, DN 40

for Fundo shower elements with point drainage

	content	order no.	GTIN
 	<b>content</b> 1 construction kit / box	077000015	4024125074339

**i** ① absorption capacity: 0.50 Litre/Second  
 ② Minimum installation depth: 97 mm  
 ③ The Fundo Mini Max drain is an authorised floor drain with  
     a general building authority-approved test certificate.

**⊕** ① technical drawing: see page 100

**⊕** accessories  
 ① required: wedi Fundo shower element with point drainage

**⊕** scope of delivery  
 ① 1 × drain horizontal, extra flat, DN 40  
 ② 1 × cap tool  
 ③ 1 × shower tray screw-type valve  
 ④ 1 × main sealing collar  
 ⑤ 1 × odour trap incl. O ring  
 ⑥ 1 × shower insert  
 ⑦ 1 × extension collar, height 40 mm  
 ⑧ 1 × plastic frame, 120 × 120 mm  
 ⑨ 1 × O-ring  
 ⑩ 1 × Fundo drain grid 1.1, stainless steel V<sub>2</sub>A brushed,  
     115 × 115 mm, square

## wedi Fundo® point drain ▪ horizontal, square, DN 50

for Fundo shower elements with point drainage

	content	order no.	GTIN
 	<b>content</b> 1 construction kit / box	077000011	4024125074087

**i** ① absorption capacity: 0.80 Litre/Second  
 ② Minimum installation depth: 130 mm  
 ③ The Fundo drain conforms to DIN EN 1253

**⊕** ① technical drawing: see page 101

**⊕** accessories  
 ① required: wedi Fundo shower element with point drainage

**⊕** scope of delivery  
 ① 1 × drain horizontal, DN 50  
 ② 1 × cap tool  
 ③ 1 × shower tray screw-type valve  
 ④ 1 × main sealing collar  
 ⑤ 1 × odour trap incl. O ring  
 ⑥ 1 × shower insert  
 ⑦ 1 × extension collar, height 40 mm  
 ⑧ 1 × plastic frame, 120 × 120 mm  
 ⑨ 1 × O-ring  
 ⑩ 1 × Fundo drain grid 1.1, stainless steel V<sub>2</sub>A brushed,  
     115 × 115 mm, square

## wedi Fundo® point drain ▪ horizontal, round, DN 50

for Fundo shower elements with point drainage

	content	order no.	GTIN
	1 construction kit / box	077000012	4024125074124
			
<b>i</b> ① absorption capacity: 0.80 Litre/Second ① Minimum installation depth: 130 mm ① The Fundo drain conforms to DIN EN 1253 ① The attachment element simultaneously serves as the support for the drain cover. No special plastic frame is required.  <b>+</b> technical drawing: see page 101 <b>+</b> accessories ① required: wedi Fundo shower element with point drainage			<b>+</b> scope of delivery ① 1 × drain horizontal, DN 50 ① 1 × cap tool ① 1 × shower tray screw-type valve  ① 1 × main sealing collar ① 1 × odour trap incl. O ring ① 1 × shower insert ① 1 × extension collar, height 40 mm ① 1 × O-ring ① 1 × Fundo drain grid 1.2, stainless steel V2A brushed, 115 × 115 mm, round
			

## wedi Fundo® drain grid 1.1

for Fundo point drains

	length × width × height	order no.	GTIN
	115 × 115 × 5 mm	676800033	4024125076548
			<b>i</b> Included as standard in the scope of delivery for wedi Fundo point drains with square drain covers  <b>+</b> accessories ① not compatible: Fundo Plano complete shower element
			<b>+</b> scope of delivery ① 1 × drain grid ① 1 × plastic frame

## wedi Fundo® drain grid 1.2

for Fundo point drains

	diameter × height	order no.	GTIN
	115 × 5 mm	676800034	4024125076562
			<b>i</b> Included as standard in the scope of delivery for wedi Fundo point drains with round drain covers  <b>+</b> accessories ① not compatible: Fundo Plano complete shower element, Fundo Integro complete shower element
			<b>+</b> scope of delivery ① 1 × drain grid


## wedi Fundo® drain grid 1.3

for Fundo point drains

	length × width × height	order no.	GTIN
	115 × 115 × 5 mm	676800035	4024125076586
			<b>+</b> For this drain grid, the height of the tiling must be at least 8.5 mm.  <b>+</b> accessories ① not compatible: Fundo Plano complete shower element
			<b>+</b> scope of delivery ① 1 × drain grid ① 1 × frame, stainless steel ② 2 × stainless steel screws

## wedi Fundo® drain grid 2.1

for Fundo point drains

	length × width × height	order no.	GTIN
	115 × 115 × 5 mm	676800037	4024125076623
			<b>+</b> accessories ① not compatible: Fundo Plano complete shower element
			<b>+</b> scope of delivery ① 1 × drain grid ① 1 × plastic frame

**wedi Fundo® drain grid 2.2**

for Fundo point drains

	diameter × height	order no.	GTIN
round, stainless steel V₂A brushed	115 × 5 mm	676800038	4024125076647
 accessories ③ not compatible: Fundo Plano complete shower element, Fundo Integro complete shower element			 scope of delivery ③ 1 × drain grid

**wedi Fundo® drain grid 2.3**

for Fundo point drains

	length × width × height	order no.	GTIN
screw in, square, stainless steel V₂A brushed	115 × 115 × 5 mm	676800039	4024125076661
 ③ For this drain grid, the height of the tiling must be at least 8.5 mm.   accessories ③ not compatible: Fundo Plano complete shower element			 scope of delivery ③ 1 × drain grid  1 × frame, stainless steel ③ 2 × stainless steel screws

**wedi Fundo® drain grid 3.1**

for Fundo point drains

	length × width × height	order no.	GTIN
square, stainless steel V₂A brushed	115 × 115 × 5 mm	676800040	4024125076685
 accessories ③ not compatible: Fundo Plano complete shower element			 scope of delivery ③ 1 × drain grid  1 × plastic frame

**wedi Fundo® drain grid 3.2**

for Fundo point drains

	diameter × height	order no.	GTIN
round, stainless steel V₂A brushed	115 × 5 mm	676800041	4024125076715
 accessories ③ not compatible: Fundo Plano complete shower element, Fundo Integro complete shower element			 scope of delivery ③ 1 × drain grid


**wedi Fundo® drain grid 3.3**

for Fundo point drains

	length × width × height	order no.	GTIN
screw in, square, stainless steel V₂A brushed	115 × 115 × 5 mm	676800042	4024125076739
 ③ For this drain grid, the height of the tiling must be at least 8.5 mm.   accessories ③ not compatible: Fundo Plano complete shower element			 scope of delivery ③ 1 × drain grid  1 × frame, stainless steel ③ 2 × stainless steel screws

## wedi Fundo® drain grid 4.1

for Fundo point drains



		length × width × height	order no.	GTIN
square, solid stainless steel V₂A brushed		115 × 115 × 5 mm	676800043	4024125076753
<span style="color: #0070C0;">+</span> accessories ⓘ not compatible: Fundo Plano complete shower element		<span style="color: #0070C0;">+</span> scope of delivery ⓘ 1 × drain grid ⓘ 1 × plastic frame		

## wedi Fundo® drain grid 4.2


for Fundo point drains



		diameter × height	order no.	GTIN
round, solid stainless steel V₂A brushed		115 × 5 mm	676800044	4024125076777
<span style="color: #0070C0;">+</span> accessories ⓘ not compatible: Fundo Plano complete shower element, Fundo Integro complete shower element		<span style="color: #0070C0;">+</span> scope of delivery ⓘ 1 × drain grid		

## wedi Fundo® drain grid 5.1


for Fundo point drains



		length × width × height	order no.	GTIN
square, solid stainless steel V₂A brushed		115 × 115 × 5 mm	676800046	4024125076814
<span style="color: #0070C0;">+</span> accessories ⓘ not compatible: Fundo Plano complete shower element		<span style="color: #0070C0;">+</span> scope of delivery ⓘ 1 × drain grid ⓘ 1 × plastic frame		

## wedi Fundo® drain grid 6.1

for Fundo point drains



		length × width × height	order no.	GTIN
extra flat, square, solid stainless steel V₂A brushed		115 × 115 × 2,5 mm	676800052	4024125101127
<span style="color: #0070C0;">i</span> ⓘ Suitable for thin ceramic tiles and glass mosaics (max. 2.5 mm) ⓘ Included as standard in the scope of delivery for Fundo Integro				
<span style="color: #0070C0;">+</span> accessories ⓘ not compatible: Fundo Plano complete shower element, Fundo Top ready-to-use surface		<span style="color: #0070C0;">+</span> scope of delivery ⓘ 1 × drain grid ⓘ 1 × plastic frame		

## wedi Fundo® drain grid 7.1

for Fundo point drains



		length × width × height	order no.	GTIN
tileable, square, solid stainless steel V₂A brushed		115 × 115 × 5 mm	676800053	4024125113298
<span style="color: #0070C0;">i</span> ⓘ Trough depth: 8mm				
<span style="color: #0070C0;">+</span> accessories ⓘ not compatible: Fundo Plano complete shower element		<span style="color: #0070C0;">+</span> scope of delivery ⓘ 1 × drain grid ⓘ 1 × plastic frame		

wedi Fundo® frame ■ square, stainless steel V<sub>2</sub>A brushed  
for Fundo point drains

	length × width × thickness	order no.	GTIN
	120 × 120 × 10 mm	077100003	4024125075428



- ⚠ For this frame, the height of the tiling must be at least 8.5 mm.
- accessories
  - ⚠ required: wedi Fundo drain grates, square
  - ⚠ not compatible: Fundo Integro complete shower element, Fundo Plano complete shower element, Fundo drain grid 6.1

scope of delivery  
⚠ 1 × frame, stainless steel

wedi Fundo® frame ■ extra flat, square, stainless steel V<sub>2</sub>A brushed  
for Fundo point drains

	length × width × thickness	order no.	GTIN
	120 × 120 × 6,2 mm	077100004	4024125075442



- ⚠ For this frame, the height of your tiling must be at least 6.2 mm.
- accessories
  - ⚠ required: wedi Fundo drain grates, square
  - ⚠ not compatible: Fundo Integro complete shower element, Fundo Plano complete shower element, Fundo drain grid 6.1

scope of delivery  
⚠ 1 × frame, stainless steel

wedi Fundo® frame ■ round, stainless steel V<sub>2</sub>A brushed  
for Fundo point drains

	diameter × thickness	order no.	GTIN
	120 × 9 mm	077100001	4024125075381



- ⚠ For this frame, the height of the tiling must be at least 8.5 mm.
- accessories
  - ⚠ required: wedi Fundo drain grates, round
  - ⚠ not compatible: Fundo Integro complete shower element, Fundo Plano complete shower element

scope of delivery  
⚠ 1 × frame, stainless steel

wedi Fundo® frame ■ extra flat, round, stainless steel V<sub>2</sub>A brushed  
for Fundo point drains

	diameter × thickness	order no.	GTIN
	120 × 2 mm	077100002	4024125075404



- ⚠ For this frame, the height of your tiling must be at least 2 mm.  
⚠ Frame can be raised with mortar up to 5 mm.
- accessories
  - ⚠ required: wedi Fundo drain grates, round
  - ⚠ not compatible: Fundo Integro complete shower element, Fundo Plano complete shower element

scope of delivery  
⚠ 1 × frame, stainless steel

## Fundo Top® ready-to-use surface ■ Natural stone look, stone grey for Fundo Primo



	length × width × thickness	order no.	GTIN
suitable for order no. 073735170	900 × 900 × 6 mm	072010500	4024125120883
suitable for order no. 073735171	1.200 × 1.200 × 6 mm	072010503	4024125120951
suitable for order no. 073736174	1.200 × 900 × 6 mm	072010501	4024125120913
suitable for order no. 073735174	1.200 × 900 × 6 mm	072010502	4024125120937
suitable for order no. 073735150	1.400 × 900 × 6 mm	072010504	4024125120975
suitable for order no. 073735152	1.600 × 1.000 × 6 mm	072010505	4024125120999
suitable for order no. 073735180	1.800 × 900 × 6 mm	072010506	4024125121019

- i** ③ Each Fundo Top is the perfect complement to the Fundo shower element with the same dimensions and identical drainage gradient. The order no. for the appropriate combination article is given in the same row.  
 ③ High-quality seamless surface made from mineral and vinyl composite material  
 ③ Anti-slip class B / PN18
- +** ③ Attachment to the shower element is done with wedi 610 adhesive sealant.  
 ③ technical drawing: see page 101
- +** accessories  
 ③ required: wedi 610 adhesive sealant
- +** outer packaging/pallet edging  
 ③ pallet edging 10 units

## Fundo Top® ready-to-use surface ■ Natural stone look, carbon black for Fundo Primo



	length × width × thickness	order no.	GTIN
suitable for order no. 073735170	900 × 900 × 6 mm	072010600	4024125120890
suitable for order no. 073735171	1.200 × 1.200 × 6 mm	072010603	4024125120968
suitable for order no. 073736174	1.200 × 900 × 6 mm	072010601	4024125120920
suitable for order no. 073735174	1.200 × 900 × 6 mm	072010602	4024125120944
suitable for order no. 073735150	1.400 × 900 × 6 mm	072010604	4024125120982
suitable for order no. 073735152	1.600 × 1.000 × 6 mm	072010605	4024125121002
suitable for order no. 073735180	1.800 × 900 × 6 mm	072010606	4024125121026

- i** ③ Each Fundo Top is the perfect complement to the Fundo shower element with the same dimensions and identical drainage gradient. The order no. for the appropriate combination article is given in the same row.  
 ③ High-quality seamless surface made from mineral and vinyl composite material  
 ③ Anti-slip class B / PN18
- +** ③ Attachment to the shower element is done with wedi 610 adhesive sealant.  
 ③ technical drawing: see page 101
- +** accessories  
 ③ required: wedi 610 adhesive sealant
- +** outer packaging/pallet edging  
 ③ pallet edging 10 units

## Fundo Top® ready-to-use surface ▪ homogeneous, pure white

for Fundo Primo

	length × width × thickness	order no.	GTIN
suitable for order no. 073735170	900 × 900 × 6 mm	072010100	4024125097444
suitable for order no. 073735171	1.200 × 1.200 × 6 mm	072010103	4024125097505
suitable for order no. 073735174	1.200 × 900 × 6 mm	072010101	4024125097468
suitable for order no. 073736174	1.200 × 900 × 6 mm	072010102	4024125097482
suitable for order no. 073735150	1.400 × 900 × 6 mm	072010106	4024125116084
suitable for order no. 073735152	1.600 × 1.000 × 6 mm	072010107	4024125116107
suitable for order no. 073735180	1.800 × 900 × 6 mm	072010105	4024125097543

 ③ Each Fundo Top is the perfect complement to the Fundo shower element with the same dimensions and identical drainage gradient. The order no. for the appropriate combination article is given in the same row.  
 ③ High-quality seamless surface made from mineral material

 outer packaging/pallet  
 ③ pallet edging 10 units

 accessories  
 ③ required: wedi 610 adhesive sealant

**NEW**

## Fundo Top® ready-to-use surface ▪ homogeneous, pure white

for Fundo Plano

**FROM 01.04.2020**

	length × width × thickness	order no.	GTIN
suitable for order no. 073735625	900 × 900 × 6 mm	072031010	4024125127370
suitable for order no. 073735630, 073735631	1.200 × 900 × 6 mm	072031011	4024125127387
suitable for order no. 073735621	1.600 × 1.000 × 6 mm	072031000	4024125127363

 ③ The Fundo Plano has been optimised around the drain opening to allow for easier adaptation of the corresponding Fundo Top surface. The previous Fundo Plano range therefore has been replaced by a new range with same dimensions. The new range got new product numbers in order to avoid confusion/better aid differentiation between these ranges (see above).  
 ③ Each Fundo Top is the perfect complement to the Fundo shower element with the same dimensions and identical drainage gradient. The order no. for the appropriate combination article is given in the same row.  
 ③ High-quality seamless surface made from mineral material

 outer packaging/pallet  
 ③ pallet edging 10 units

 accessories  
 ③ required: wedi 610 adhesive sealant

**OLD Fundo Top® ready-to-use surface • homogeneous, pure white**  
for Fundo Plano

**UNTIL 31.03.2020**

	length × width × thickness	order no.	GTIN
suitable for order no. 073735600	900 × 900 × 6 mm	072030100	4024125098168
suitable for order no. 073735603, 073735604	1.200 × 900 × 6 mm	072030101	4024125098182
suitable for order no. 073735606	1.600 × 1.000 × 6 mm	072030102	4024125098205

**i** ③ Each Fundo Top is the perfect complement to the Fundo shower element with the same dimensions and identical drainage gradient. The order no. for the appropriate combination article is given in the same row.  
③ High-quality seamless surface made from mineral material


**⊕** ③ Attachment to the shower element is done with  
edging wedi 610 adhesive sealant.  
③ technical drawing: see page 102

**皇冠** outer packaging/pallet  
③ pallet edging 10 units

**⊕** accessories  
③ required: wedi 610 adhesive sealant

### Fundo Top® cladding

for Fundo Primo, Plano, Riolito neo



	length × width × thickness	order no.	GTIN
Natural stone look, Mineral and vinyl composite material, stone grey	1.880 × 200 × 6 mm	072040500	4024125121149
Natural stone look, Mineral and vinyl composite material, carbon black	1.880 × 200 × 6 mm	072040600	4024125121156
homogeneous, mineral material, pure white	1.880 × 200 × 6 mm	072040100	4024125105064


**i** ③ For cladding the sides of step-up shower enclosures finished with Fundo Top ready-to-use surface.

**⊕** accessories  
③ required: wedi 610 adhesive sealant

# 02

## Linear shower systems

Everything for the shower area with stylish linear drainage, optionally with the drainage channel close to the wall, at a distance from the wall or centrally positioned. In addition to the shower element, wedi offers matching drains and a wide variety of channel covers as standard, exclusive or tileable variants.



### wedi Fundo substructure set

Flush-to-floor shower elements in the wedi Fundo range can be brought to the right height using the wedi Fundo substructure set. It can be used for wedi Fundo shower elements with both point and linear drainage. All drain mounts required for this are included in the set alongside the substructure element. Different substructure heights can be achieved, and both the exterior dimensions, drain position, and piping can be individually designed.

### wedi Fundo channel frames

wedi offers matching, stylish channel frames for its channel covers for wedi Fundo shower elements with linear drainage. They are available individually and as a set with an appropriate standard channel cover and form an optically appealing transition between the cut edge of tiles and the drain channel.

### Fundo Discreto

The attractive alternative to classic channel drains: Fundo Discreto. The attachment element creates an optical illusion of the water flowing from the floor into the wall and thus allows the channel to disappear. Fundo Discreto can be perfectly and easily integrated into a front wall made from wedi materials or a wedi bench element.

# Overview of wedi Fundo® linear shower systems

wedi Fundo linear shower systems provide you with all of the necessary co-ordinated components that you need to install and seal a wedi flush-to-floor shower element.

- Perfect for installation in or on screed floors
- In a square or rectangular design
- With a short or long channel
- With the drain positioned close to the wall, at a distance from the wall or in the centre
- With either vertical or horizontal drainage
- Easy installation and sealing with appropriate wedi accessories



## The system variants at a glance

System variant	wedi Fundo shower system linear drainage, vertical	wedi Fundo shower system linear drainage, horizontal	wedi Fundo showersystem linear drainage, horizontal, Mini Max
Shower element height	measured at the outer edge	measured at the outer edge	measured at the outer edge
Drain bowl height	omitted in this installation situation	80 mm	49 mm

For total installation height, the adhesive bed thickness must be incorporated.

## Required system components

System component	wedi product	
Shower element	wedi Fundo shower element with linear drainage	
Drain	wedi Fundo channel drain suitable for wedi shower elements with linear drainage	
	vertical DN 50 vertical DN 50 fire protection collar	horizontal DN 50
Channel cover	wedi Fundo channel cover suitable for wedi Fundo linear drainage	
Sealing	wedi Fundo sealing set includes all components for sealing of the joints between the wedi Fundo shower element and adjoining areas	
Installation material	wedi 320 flexible cement based Adhesive	

## Optional system components

System component	wedi product
Sound insulation	wedi Nonstep ProS sound insulation mat *
	wedi Tools edge insulation strips for acoustic decoupling between the shower element and the wall
Accessories	wedi Tools step-folded, sloped lip-end sealing tape Specially preformed sealing corners for wedi Fundo shower elements with linear drainage
	Fundo Discreto attachment element for an optical wall drain
	wedi Fundo slope profiles for optical slope compensation
	wedi Fundo substructure set Substructure element for height compensation
	Fundo Top ready-to-use surface ** tailor-made surfaces for wedi Fundo shower elements

\* When using the sound insulation mat, the installation height is increased by 9 mm.

\*\* When using the Fundo Top surface, the installation height is increased by 6 mm.



## Fundo Plano® Linea complete shower element ▪ drain offset, close to the wall, DN 40

	length × width × thickness	order no.	GTIN
square, channel length 300 mm	900 × 900 × 70 mm	073736608	4024125066532
square, channel length 800 mm	900 × 900 × 70 mm	073736603	4024125066358
rectangular, channel length 700 mm	1.200 × 800 × 70 mm	073736600	4024125065320
rectangular, channel length 300 mm	1.200 × 900 × 70 mm	073736607	4024125066518
rectangular, channel length 800 mm	1.200 × 900 × 70 mm	073736601	4024125065344
rectangular, channel length 900 mm	1.200 × 1.000 × 70 mm	073736602	4024125065368

**i** ③ The drainage of the Fundo Plano Linea range is integrated into the shower elements during the manufacturing process. A suitable drain cover and a sealing sheet for the pipe inlet area is included in the scope of delivery.

④ The channel length determines the appropriate combination articles of the Fundo channel cover, channel frame or Fundo Discreto attachment element.

⑤ absorption capacity: 0.40 Litre/Second

 ⑥ technical drawing: see page 103

 accessories

⑦ optional: Fundo Discreto, wedi Tools sloped lip-end sealing tape, wedi Fundo slope profile for Fundo Riolito neo, Plano Linea, wedi Fundo channel frame

 scope of delivery

⑧ 1 × Fundo Plano Linea complete shower element

⑨ 1 × Fundo channel cover standard, stainless steel V₂A brushed

⑩ 1 × sealing corner, 1,000 × 1,000 mm

⑪ 2 × frame clamping piece

outer packaging/pallet edging

⑫ pallet edging 10 units

## Fundo Riolito® neo shower element ▪ square, drain offset, close to the wall

	length × width × thickness	order no.	GTIN
channel length 300 mm	900 × 900 × 50 mm	075100031	4024125079372
channel length 800 mm	900 × 900 × 50 mm	075100003	4024125071321
channel length 800 mm	1.000 × 1.000 × 50 mm	075100032	4024125079419
channel length 1.100 mm	1.200 × 1.200 × 50 mm	075100010	4024125071468

**i** ③ The channel length determines the appropriate combination articles of the Fundo channel cover, channel frame or Fundo Discreto attachment element.

 ④ technical drawing: see page 104

 accessories

⑤ required: wedi Fundo channel drain, wedi Fundo channel cover

⑥ optional: Fundo Top ready-to-use surface, Fundo Discreto, wedi Fundo slope profile for Fundo Riolito neo, Plano Linea, wedi Tools sloped lip-end sealing tape, wedi Fundo channel frame

 scope of delivery


⑦ 1 × Fundo Riolito neo shower element

⑧ 2 × frame clamping piece

outer packaging/pallet edging

⑨ pallet edging 10 units

## Fundo Riolito® neo shower element ▪ rectangular, drain offset, close to the wall



	length × width × thickness	order no.	GTIN
channel length 700 mm	1.200 × 800 × 50 mm	075100001	4024125071284
channel length 800 mm	1.200 × 900 × 50 mm	075100004	4024125071345
channel length 900 mm	1.200 × 1.000 × 50 mm	075100008	4024125071420
channel length 700 mm	1.400 × 900 × 50 mm	075100033	4024125079457
channel length 800 mm	1.600 × 1.000 × 50 mm	075100034	4024125079433
channel length 800 mm	1.800 × 900 × 60 mm	075100005	4024125071369

③ The channel length determines the appropriate combination articles of the Fundo channel cover, channel frame or Fundo Discreto attachment element.

③ technical drawing: see page 104


accessories

- ③ required: wedi Fundo channel drain, wedi Fundo channel cover
- ③ optional: Fundo Top ready-to-use surface, Fundo Discreto, wedi Fundo slope profile for Fundo Riolito neo, Plano Linea, wedi Tools sloped lip-end sealing tape, wedi Fundo channel frame

scope of delivery

- ③ 1 × Fundo Riolito neo shower element
- ③ 2 × frame clamping piece
- outer packaging/pallet edging
- ③ pallet edging 10 units

## Fundo Riolito® shower element ▪ square, drain offset, at a distance from the wall



	length × width × thickness	order no.	GTIN
channel length 300 mm	900 × 900 × 50 mm	073737307	4024125102421
channel length 800 mm	900 × 900 × 50 mm	073737303	4024125102346
channel length 800 mm	1.000 × 1.000 × 50 mm	073737308	4024125102445
channel length 1.100 mm	1.200 × 1.200 × 50 mm	073737304	4024125102360

③ The channel length determines the appropriate combination articles of the Fundo channel cover, channel frame or Fundo Discreto attachment element.

③ technical drawing: see page 106

accessories

- ③ required: wedi Fundo channel drain, wedi Fundo channel cover
- ③ optional: Fundo Discreto, wedi Fundo slope wedge for Fundo Riolito, wedi Tools sloped lip-end sealing tape, wedi Fundo channel frame

scope of delivery

- ③ 1 × Fundo Riolito shower element
- ③ 2 × frame clamping piece
- outer packaging/pallet edging
- ③ pallet edging 10 units

## Fundo Riolito® shower element ▪ rectangular, drain offset, at a distance from the wall

	length × width × thickness	order no.	GTIN
channel length 700 mm	1.200 × 800 × 50 mm	073737301	4024125102308
channel length 800 mm	1.200 × 900 × 50 mm	073737305	4024125102384
channel length 900 mm	1.200 × 1.000 × 50 mm	073737302	4024125102322
channel length 700 mm	1.400 × 900 × 50 mm	073737309	4024125102469
channel length 800 mm	1.600 × 1.000 × 50 mm	073737310	4024125102483
channel length 800 mm	1.800 × 900 × 60 mm	073737306	4024125102407

 ③ The channel length determines the appropriate combination articles of the Fundo channel cover, channel frame or Fundo Discreto attachment element.

 ③ technical drawing: see page 106

 accessories

- ① required: wedi Fundo channel drain, wedi Fundo channel cover
- ② optional: Fundo Discreto, wedi Fundo slope wedge for Fundo Riolito, wedi Tools sloped lip-end sealing tape, wedi Fundo channel frame

 scope of delivery

③ 1 × Fundo Riolito shower element

③ 2 × frame clamping piece

outer packaging/pallet edging

③ pallet edging 10 units

## Fundo Riofino® shower element ▪ square, drain central

	length × width × thickness	order no.	GTIN
channel length 300 mm	900 × 900 × 50 mm	073737312	4024125102520
channel length 300 mm	1.000 × 1.000 × 50 mm	073737311	4024125102506
channel length 300 mm	1.200 × 1.200 × 50 mm	073737313	4024125102544

 ③ The channel length determines the appropriate combination articles of the Fundo channel cover and Fundo channel frame.

 ③ technical drawing: see page 107

 accessories

- ① required: wedi Fundo channel drain, wedi Fundo channel cover
- ② optional: wedi Fundo channel frame

 scope of delivery

③ 1 × Fundo Riofino shower element

③ 1 × frame clamping piece

outer packaging/pallet edging

③ pallet edging 10 units

## Fundo Riofino® shower element ▪ rectangular, drain central

	length × width × thickness	order no.	GTIN
channel length 300 mm	1.200 × 900 × 50 mm	073737314	4024125102568
channel length 300 mm	1.800 × 900 × 50 mm	073737315	4024125102582

 ③ The channel length determines the appropriate combination articles of the Fundo channel cover and Fundo channel frame.

 ③ technical drawing: see page 108

 accessories

- ① required: wedi Fundo channel drain, wedi Fundo channel cover
- ② optional: wedi Fundo channel frame

 scope of delivery

③ 1 × Fundo Riofino shower element

③ 1 × frame clamping piece

outer packaging/pallet edging

③ pallet edging 10 units

## wedi Fundo® substructure set ■ square

for Fundo shower elements with point or linear drainage




	length × width × thickness	order no.	GTIN
	900 × 900 × 90 mm	073743010	4024125121286
	1.200 × 1.200 × 90 mm	073743011	4024125121309
	1.500 × 1.500 × 90 mm	073743012	4024125121316

- i** ① The Fundo substructure set is delivered as a kit. A mount height of 30, 60 or 90 mm is produced with the help of the two elements with different thicknesses. The 3-part drain mount precisely incorporates the various drains.  
 ② The Fundo substructure set can easily be shortened to the necessary dimensions in length and width. The appropriate variant and number required depend on the dimensions of the Fundo shower element selected. Order 2 × substructure set 900 × 900 mm for 1,800 × 900 shower elements, order 2 × substructure set 1,200 × 1,200 for 2,000 × 1,000 shower elements.  
 ③ Freely selectable drain position (depending on the Fundo shower element selected)

- ⊕** ④ The recess for the drain mount and drain pipe is created on the construction site.  
 ⑤ technical drawing: see page 99
- ⊕** accessories  
 ⑥ required: wedi Fundo shower element with point drainage,  
     wedi Fundo shower element with linear drainage,  
     wedi Fundo point or channel drain  
 ⑦ optional: wedi 320 universal tile adhesive  
 ⑧ not compatible: Fundo fire protection collar point drain
- ⊕** scope of delivery  
 ⑨ 1 × EPS substructure element, 60 mm thick  
 ⑩ 1 × EPS substructure element, 30 mm thick  
 ⑪ 3 × drain mount for point and channel drains  
     (vertical, horizontal, Mini Max)  
 outer packaging/pallet edging  
 ⑫ pallet edging 10 units

## wedi Fundo® sloping board

for Fundo Riolito, Riolito neo, Riofino



	length × width × thickness	order no.	GTIN
	1.200 × 600 × 50 / 60 mm	073737003	4024125078276

- i** ⑩ For on-site extension of Fundo Riolito, Riolito neo and Riofino shower elements.

- ⊕** ⑪ technical drawing: see page 109
- ⊕** outer packaging/pallet edging  
 ⑫ pallet edging 40 units

## wedi Fundo® channel drain ■ vertical, DN 50

for Fundo shower elements with linear drainage



	content	order no.	GTIN
	1 construction kit / box	077500002	4024125099486

- i** ⑬ absorption capacity: 1.10 Litre/Second  
 ⑭ Minimum installation depth: 50 mm  
 ⑮ The Fundo drain conforms to DIN EN 1253

- ⊕** ⑯ core drilling diameter: 120 mm  
 ⑰ technical drawing: see page 109  
**⊕** accessories  
 ⑱ required: wedi Fundo shower element with linear drainage

- ⊕** scope of delivery  
 ⑲ 1 × drain vertical, DN 50  
 ⑳ 1 × adapter  
 ㉑ 4 × mounting screws for adapter  
 ㉒ 1 × odour trap incl. O ring  
 ㉓ 1 × cap tool  
 ㉔ 1 × shower insert  
 ㉕ 1 × lubricant  
 ㉖ 1 × adapter DN 56 (GB)


## wedi Fundo® channel drain fire protection ▪ vertical, DN 50

for Fundo shower elements with linear drainage

	content	order no.	GTIN
	1 construction kit / box	073749011	4024125114035



- i** absorption capacity: 1.10 Litre/Second
- Ø Minimum installation depth: 50 mm
- Ø The Fundo drain conforms to DIN EN 1253
  
- ⊕** core drilling diameter: 160 mm
- Ø technical drawing: see page 109
  
- +/-** accessories
- Ø required: wedi Fundo shower element with linear drainage
- Ø not compatible: Fundo substructure set



- ⊕** scope of delivery
- Ø 1 × drain vertical, DN 50
- Ø 4 × fixing screws
- Ø 1 × odour trap incl. O ring
- Ø 1 × cap tool
- Ø 1 × shower insert
- Ø 1 × lubricant
- Ø 1 × main sealing collar
- Ø 1 × fire protection
- Ø 1 × adapter DN 56 (GB)


## wedi Fundo® channel drain Mini Max ▪ horizontal, extra flat, DN 40

for Fundo shower elements with linear drainage

	content	order no.	GTIN
	1 construction kit / box	077500003	4024125099509



- i** absorption capacity: 0.50 Litre/Second
- Ø Minimum installation depth: 99 mm
- Ø The Fundo channel drain Mini Max drain is an authorised floor drain according to DIN EN 1253.
  
- ⊕** technical drawing: see page 110
  
- +/-** accessories
- Ø required: wedi Fundo shower element with linear drainage



- ⊕** scope of delivery
- Ø 1 × drain horizontal, extra flat, DN 40
- Ø 1 × adapter
- Ø 4 × mounting screws for adapter
- Ø 1 × odour trap incl. O ring
- Ø 1 × cap tool
- Ø 1 × shower insert
- 1 × lubricant


## wedi Fundo® channel drain ▪ horizontal, DN 50

for Fundo shower elements with linear drainage

	content	order no.	GTIN
	1 construction kit / box	077500001	4024125099462




- i** absorption capacity: 0.80 Litre/Second
- Ø Minimum installation depth: 130 mm
- Ø The Fundo drain conforms to DIN EN 1253
  
- ⊕** technical drawing: see page 110
  
- +/-** accessories
- Ø required: wedi Fundo shower element with linear drainage



- ⊕** scope of delivery
- Ø 1 × drain horizontal, DN 50
- Ø 1 × adapter
- Ø 4 × mounting screws for adapter
- Ø 1 × odour trap incl. O ring
- Ø 1 × cap tool
- Ø 1 × shower insert
- Ø 1 × lubricant
- Ø 1 × adapter DN 56 (GB)

## Fundo Discreto® attachment element

for Fundo Riolito, Riolito neo, Plano Linea



	length × height × depth	order no.	GTIN
channel length 300 mm	900 × 154 × 80 mm	073738205	4024125120333
channel length 700 mm	900 × 154 × 80 mm	073738206	4024125120357
channel length 800 mm	1.000 × 154 × 80 mm	073738207	4024125120371
channel length 900 mm	1.000 × 154 × 80 mm	073738208	4024125120395
channel length 1.100 mm	1.200 × 154 × 80 mm	073738209	4024125120418

- i** ③ Attachment elements for the Fundo Riolito neo, Riolito and Plano Linea shower elements to create an optical wall drain.  
The channel length for the shower element determines the appropriate Fundo Discreto variant.

- ⊕** ③ The cover can be used and mounted on both sides  
(visible side V<sub>2</sub>A brushed or tiled as desired).  
③ technical drawing: see page 110

- w+** accessories  
③ required: wedi 610 adhesive sealant

- w** scope of delivery  
③ 1 × attachment element  
③ 1 × reversible cover, V<sub>2</sub>A stainless steel  
③ 1 × Allan key  
③ 2 × installation templates

## wedi Fundo® channel cover standard ■ stainless steel V<sub>2</sub>A brushed

for Fundo Riolito, Riolito neo, Riofino, Plano Linea



	length × width × height	order no.	GTIN
channel length 300 mm	290 × 45 × 13 mm	676800010	4024125076074
channel length 700 mm	690 × 45 × 13 mm	676800009	4024125076050
channel length 800 mm	790 × 45 × 13 mm	676800008	4024125076036
channel length 900 mm	890 × 45 × 13 mm	676800007	4024125076012
channel length 1.100 mm	1.090 × 45 × 13 mm	676800006	4024125075992

- i** ③ For installation heights of 5 to 23 mm  
③ Included as standard in the scope of delivery for Fundo Plano Linea

- w+** accessories  
③ required: wedi Fundo shower element with linear drainage

- w** scope of delivery  
③ 1 × Fundo channel cover standard, stainless steel V<sub>2</sub>A brushed  
③ 4 × Height adjustable feet

## wedi Fundo® channel cover exclusive ■ solid stainless steel V<sub>2</sub>A brushed

for Fundo Riolito, Riolito neo, Riofino, Plano Linea



	length × width × height	order no.	GTIN
channel length 300 mm	290 × 45 × 13 mm	676800001	4024125075893
channel length 700 mm	690 × 45 × 13 mm	676800002	4024125075916
channel length 800 mm	790 × 45 × 13 mm	676800003	4024125075930
channel length 900 mm	890 × 45 × 13 mm	676800004	4024125075954
channel length 1.100 mm	1.090 × 45 × 13 mm	676800005	4024125075978

- i** ③ For installation heights of 5 to 25 mm

- w+** accessories  
③ required: wedi Fundo shower element with linear drainage

- w** scope of delivery  
③ 1 × Fundo channel cover exclusive, solid stainless steel V<sub>2</sub>A brushed  
③ 4 × Height adjustable feet

wedi Fundo® channel cover tileable ■ stainless steel V<sub>2</sub>A brushed  
for Fundo Riolito, Riolito neo, Riofino




	length × width × height	order no.	GTIN
channel length 300 mm	290 × 45 × 13 mm	676800011	4024125076098
channel length 700 mm	690 × 45 × 13 mm	676800012	4024125076111
channel length 800 mm	790 × 45 × 13 mm	676800013	4024125076135
channel length 900 mm	890 × 45 × 13 mm	676800014	4024125076159
channel length 1.100 mm	1.090 × 45 × 13 mm	676800015	4024125076173

-  ③ For installation heights of 5 to 25 mm  
③ Trough depth: 11 mm

-  accessories  
③ required: wedi Fundo shower element with linear drainage  
③ not compatible: Fundo Plano Linea complete shower element

-  scope of delivery  
③ 1 × Fundo channel cover tileable, stainless steel V<sub>2</sub>A brushed  
③ 4 × Height adjustable feet

wedi Fundo® channel frame ■ rectangular, stainless steel V<sub>2</sub>A brushed  
for Fundo shower elements with linear drainage



	profile cross section	order no.	GTIN
channel length 300 mm	6 × 6 mm	676800060	4024125113649
channel length 700 mm	6 × 6 mm	676800061	4024125113663
channel length 800 mm	6 × 6 mm	676800062	4024125113687
channel length 900 mm	6 × 6 mm	676800063	4024125113700
channel length 1.100 mm	6 × 6 mm	676800064	4024125113724

-  accessories  
③ required: wedi Fundo shower element with linear drainage,  
wedi Fundo channel drain, wedi Fundo channel cover  
③ not compatible: Fundo Top ready-to-use surface

-  scope of delivery  
③ 1 × wedi Fundo channel frame, 4-part, pre-mounted  
③ 2 × installation aid  
③ 4 × corner connectors, pre-mounted

wedi Fundo® channel cover standard plus ■ stainless steel V<sub>2</sub>A brushed  
for Fundo shower elements with linear drainage



	content	order no.	GTIN
channel length 300 mm	1 set / box	676900025	4024125119481
channel length 700 mm	1 set / box	676900026	4024125119504
channel length 800 mm	1 set / box	676900027	4024125119528
channel length 900 mm	1 set / box	676900028	4024125119542
channel length 1.100 mm	1 set / box	676900029	4024125119566

-  ③ The wedi Fundo channel cover standard plus is a set comprising the Fundo standard channel cover and the wedi Fundo channel frame.

-  accessories  
③ required: wedi Fundo shower element with linear drainage,  
wedi Fundo channel drain

-  scope of delivery  
③ 1 × wedi Fundo channel frame, 4-part, pre-mounted  
③ 1 × Fundo channel cover standard, stainless steel V<sub>2</sub>A brushed

wedi Fundo® slope profile ▪ left, stainless steel V<sub>2</sub>A brushed  
for Fundo Riolito neo, Plano Linea




	length × width × thickness	order no.	GTIN
	1.200 × 30 × 8 mm	107100008	4024125065863
	1.200 × 30 × 10 mm	107100010	4024125065887
	1.200 × 30 × 11 mm	107100011	4024125113038
	1.200 × 30 × 12,5 mm	107100012	4024125065900
	1.600 × 30 × 8 mm	108120008	4024125078818
	1.600 × 30 × 10 mm	108120010	4024125078832
	1.600 × 30 × 11 mm	108120011	4024125113113
	1.600 × 30 × 12,5 mm	108120012	4024125078856
	1.800 × 30 × 8 mm	108140008	4024125079051
	1.800 × 30 × 10 mm	108140010	4024125078658
	1.800 × 30 × 11 mm	108140011	4024125113151
	1.800 × 30 × 12,5 mm	108140012	4024125079075

③ The thickness of the tile profile should be selected based on the tile thickness plus the thickness of the adhesive layer.

③ Slope profiles can be individually cut to size (1,600 mm by max. 400 mm, all other lengths by max. 300 mm).

③ technical drawing: see page 111



wedi Fundo® slope profile ▪ right, stainless steel V<sub>2</sub>A brushed  
for Fundo Riolito neo, Plano Linea




	length × width × thickness	order no.	GTIN
	1.200 × 30 × 8 mm	107110008	4024125065924
	1.200 × 30 × 10 mm	107110010	4024125065948
	1.200 × 30 × 11 mm	107110011	4024125113052
	1.200 × 30 × 12,5 mm	107110012	4024125065962
	1.600 × 30 × 8 mm	108130008	4024125078870
	1.600 × 30 × 10 mm	108130010	4024125078894
	1.600 × 30 × 11 mm	108130011	4024125113137
	1.600 × 30 × 12,5 mm	108130012	4024125078917
	1.800 × 30 × 8 mm	108150008	4024125079099
	1.800 × 30 × 10 mm	108150010	4024125079112
	1.800 × 30 × 11 mm	108150011	4024125113175
	1.800 × 30 × 12,5 mm	108150012	4024125079136

③ The thickness of the tile profile should be selected based on the tile thickness plus the thickness of the adhesive layer.

③ Slope profiles can be individually cut to size (1,600 mm by max. 400 mm, all other lengths by max. 300 mm).

③ technical drawing: see page 111



wedi Fundo® slope profile wall ▪ left, stainless steel V<sub>2</sub>A brushed  
for Fundo Riolito neo, Plano Linea



	length × width × thickness	order no.	GTIN
	1.200 × 30 × 8 mm	107200008	4024125065986
	1.200 × 30 × 10 mm	107200010	4024125066006
	1.200 × 30 × 11 mm	107200011	4024125113076
	1.200 × 30 × 12,5 mm	107200012	4024125066020
	1.600 × 30 × 8 mm	108220008	4024125078931
	1.600 × 30 × 10 mm	108220010	4024125078955
	1.600 × 30 × 11 mm	108220011	4024125113199
	1.600 × 30 × 12,5 mm	108220012	4024125078979
	1.800 × 30 × 8 mm	108240008	4024125079150
	1.800 × 30 × 10 mm	108240010	4024125079174
	1.800 × 30 × 11 mm	108240011	4024125113236
	1.800 × 30 × 12,5 mm	108240012	4024125079198

**i** ③ The thickness of the tile profile should be selected based on the tile thickness plus the thickness of the adhesive layer.

**⊕** ③ Slope profiles can be individually cut to size (1,600 mm by max. 400 mm, all other lengths by max. 300 mm).

③ technical drawing: see page 111



wedi Fundo® slope profile wall ▪ right, stainless steel V<sub>2</sub>A brushed  
for Fundo Riolito neo, Plano Linea




	length × width × thickness	order no.	GTIN
	1.200 × 30 × 8 mm	107210008	4024125066044
	1.200 × 30 × 10 mm	107210010	4024125066068
	1.200 × 30 × 11 mm	107210011	4024125113090
	1.200 × 30 × 12,5 mm	107210012	4024125066082
	1.600 × 30 × 8 mm	108230008	4024125078993
	1.600 × 30 × 10 mm	108230010	4024125079013
	1.600 × 30 × 11 mm	108230011	4024125113212
	1.600 × 30 × 12,5 mm	108230012	4024125079037
	1.800 × 30 × 8 mm	108250008	4024125079211
	1.800 × 30 × 10 mm	108250010	4024125079235
	1.800 × 30 × 11 mm	108250011	4024125113250
	1.800 × 30 × 12,5 mm	108250012	4024125079259

**i** ③ The thickness of the tile profile should be selected based on the tile thickness plus the thickness of the adhesive layer.

**⊕** ③ Slope profiles can be individually cut to size (1,600 mm by max. 400 mm, all other lengths by max. 300 mm).

③ technical drawing: see page 111



wedi Fundo® end profile ■ stainless steel V<sub>2</sub>A brushed  
for Fundo Riolito neo, Plano Linea



	length × height	order no.	GTIN
	1.000 × 21 mm	107300001	4024125066952
	1.200 × 21 mm	108100001	4024125073431

- ⊕ ③ end profiles can be individually reduced
- ③ technical drawing: see page 112




wedi Fundo® slope profile ■ left, stainless steel V<sub>2</sub>A brushed  
for Fundo Riolito



	length × width × thickness	order no.	GTIN
	1.200 × 30 × 8 mm	106100008	4024125630474
	1.200 × 30 × 10 mm	106100010	4024125630498
	1.200 × 30 × 11 mm	106100011	4024125112673
	1.200 × 30 × 12,5 mm	106100012	4024125010054
	1.600 × 30 × 8 mm	106300008	4024125081559
	1.600 × 30 × 10 mm	106300010	4024125081573
	1.600 × 30 × 11 mm	106300011	4024125112871
	1.600 × 30 × 12,5 mm	106300012	4024125081597
	1.800 × 30 × 8 mm	106500008	4024125081795
	1.800 × 30 × 10 mm	106500010	4024125081818
	1.800 × 30 × 11 mm	106500011	4024125112956
	1.800 × 30 × 12,5 mm	106500012	4024125081832

- ⊕ ③ The thickness of the tile profile should be selected based on the tile thickness plus the thickness of the adhesive layer.
- ⊕ ③ Slope profiles can be individually cut to size (1,600 mm by max. 400 mm, all other lengths by max. 300mm).
- ③ technical drawing: see page 112



wedi Fundo® slope profile ▪ right, stainless steel V<sub>2</sub>A brushed  
for Fundo Riolito




	length × width × thickness	order no.	GTIN
	1.200 × 30 × 8 mm	106110008	4024125630481
	1.200 × 30 × 10 mm	106110010	4024125011174
	1.200 × 30 × 11 mm	106110011	4024125112819
	1.200 × 30 × 12,5 mm	106110012	4024125011181
	1.600 × 30 × 8 mm	106310008	4024125081610
	1.600 × 30 × 10 mm	106310010	4024125081634
	1.600 × 30 × 11 mm	106310011	4024125112895
	1.600 × 30 × 12,5 mm	106310012	4024125081658
	1.800 × 30 × 8 mm	106510008	4024125081856
	1.800 × 30 × 10 mm	106510010	4024125081870
	1.800 × 30 × 11 mm	106510011	4024125112970
	1.800 × 30 × 12,5 mm	106510012	4024125081900

**i** ③ The thickness of the tile profile should be selected based on the tile thickness plus the thickness of the adhesive layer.

**⊕** ③ Slope profiles can be individually cut to size (1,600 mm by max. 400 mm, all other lengths by max. 300 mm).

③ technical drawing: see page 112



wedi Fundo® slope profile wall ▪ left, stainless steel V<sub>2</sub>A brushed  
for Fundo Riolito



	length × width × thickness	order no.	GTIN
	1.200 × 30 × 8 mm	106200008	4024125053273
	1.200 × 30 × 10 mm	106200010	4024125053440
	1.200 × 30 × 11 mm	106200011	4024125112833
	1.200 × 30 × 12,5 mm	106200012	4024125053464
	1.600 × 30 × 8 mm	106400008	4024125081436
	1.600 × 30 × 10 mm	106400010	4024125081450
	1.600 × 30 × 11 mm	106400011	4024125112918
	1.600 × 30 × 12,5 mm	106400012	4024125081474
	1.800 × 30 × 8 mm	106600008	4024125081672
	1.800 × 30 × 10 mm	106600010	4024125081696
	1.800 × 30 × 11 mm	106600011	4024125112994
	1.800 × 30 × 12,5 mm	106600012	4024125081719

**i** ③ The thickness of the tile profile should be selected based on the tile thickness plus the thickness of the adhesive layer.

**⊕** ③ Slope profiles can be individually cut to size (1,600 mm by max. 400 mm, all other lengths by max. 300 mm).

③ technical drawing: see page 112



wedi Fundo® slope profile wall ▪ right, stainless steel V<sub>2</sub>A brushed  
for Fundo Riolito



	length × width × thickness	order no.	GTIN
	1.200 × 30 × 8 mm	106210008	4024125053488
	1.200 × 30 × 10 mm	106210010	4024125053501
	1.200 × 30 × 11 mm	106210011	4024125112857
	1.200 × 30 × 12,5 mm	106210012	4024125053525
	1.600 × 30 × 8 mm	106410008	4024125081498
	1.600 × 30 × 10 mm	106410010	4024125081511
	1.600 × 30 × 11 mm	106410011	4024125112932
	1.600 × 30 × 12,5 mm	106410012	4024125081535
	1.800 × 30 × 8 mm	106610008	4024125081733
	1.800 × 30 × 10 mm	106610010	4024125081757
	1.800 × 30 × 11 mm	106610011	4024125113014
	1.800 × 30 × 12,5 mm	106610012	4024125081771

③ The thickness of the tile profile should be selected based on the tile thickness plus the thickness of the adhesive layer.

③ Slope profiles can be individually cut to size (1,600 mm by max. 400 mm, all other lengths by max. 300 mm).

③ technical drawing: see page 112



Fundo Top® ready-to-use surface ▪ Natural stone look, stone grey  
for Fundo Riolito neo



	length × width × thickness	order no.	GTIN
suitable for order no. 075100004	1.200 × 900 × 6 mm	072020500	4024125121064
suitable for order no. 075100034	1.600 × 1.000 × 6 mm	072020501	4024125121088
suitable for order no. 075100005	1.800 × 900 × 6 mm	072020502	4024125121101

③ Each Fundo Top is the perfect complement to the Fundo shower element with the same dimensions and identical drainage gradient. The order no. for the appropriate combination article is given in the same row.

③ High-quality seamless surface made from mineral and vinyl composite material

③ Anti-slip class B / PN18

③ Attachment to the shower element is done with wedi 610 adhesive sealant.

③ technical drawing: see page 112

accessories


③ required: wedi 610 adhesive sealant

outer packaging/pallet edging

③ pallet edging 10 units

## Fundo Top® ready-to-use surface • Natural stone look, carbon black

for Fundo Riolito neo



	length × width × thickness	order no.	GTIN
suitable for order no. 075100004	1.200 × 900 × 6 mm	072020600	4024125121071
suitable for order no. 075100034	1.600 × 1.000 × 6 mm	072020601	4024125121095
suitable for order no. 075100005	1.800 × 900 × 6 mm	072020602	4024125121118

**i** ③ Each Fundo Top is the perfect complement to the Fundo shower element with the same dimensions and identical drainage gradient. The order no. for the appropriate combination article is given in the same row.  
 ③ High-quality seamless surface made from mineral and vinyl composite material  
 ③ Anti-slip class B / PN18

**⊕** ③ Attachment to the shower element is done with wedi 610 adhesive sealant.  
 ③ technical drawing: see page 112

**⊕** outer packaging/pallet edging  
 ③ pallet edging 10 units

**⊕** accessories

③ required: wedi 610 adhesive sealant



## Fundo Top® ready-to-use surface • homogeneous, pure white

for Fundo Riolito neo



	length × width × thickness	order no.	GTIN
suitable for order no. 075100004	1.200 × 900 × 6 mm	072020100	4024125097987
suitable for order no. 075100034	1.600 × 1.000 × 6 mm	072020101	4024125098007
suitable for order no. 075100005	1.800 × 900 × 6 mm	072020102	4024125098021

**i** ③ Each Fundo Top is the perfect complement to the Fundo shower element with the same dimensions and identical drainage gradient. The order no. for the appropriate combination article is given in the same row.  
 ③ High-quality seamless surface made from mineral material

**⊕** ③ Attachment to the shower element is done with edging wedi 610 adhesive sealant.  
 ③ technical drawing: see page 112

**⊕** outer packaging/pallet  
 ③ pallet edging 10 units

**⊕** accessories

③ required: wedi 610 adhesive sealant



## Fundo Top® channel cover set

for Fundo Riolito neo

	length × width × height	order no.	GTIN
	Natural stone look, Mineral and vinyl composite material, stone grey 790 × 45 × 13 mm	072000500	4024125121125
	Natural stone look, Mineral and vinyl composite material, carbon black 790 × 45 × 13 mm	072000600	4024125121132
	homogeneous, mineral material, pure white 790 × 45 × 13 mm	072000100	4024125103435

-  ③ For installation heights of 5 to 25 mm  
③ Suitable for Fundo Riolito neo with 800 mm channel


-  accessories  
③ required: Fundo Riolito neo shower element

 scope of delivery

- ③ 1 × Fundo channel cover tileable, stainless steel V<sub>2</sub>A brushed
- ③ 1 × Fundo Top Inlay, ready-to-use surface
- ③ 4 × Height adjustable feet
- ③ 1 × screw set of 4 pieces

## Fundo Top® cladding

for Fundo Primo, Plano, Riolito neo

	length × width × thickness	order no.	GTIN
	Natural stone look, Mineral and vinyl composite material, stone grey 1.880 × 200 × 6 mm	072040500	4024125121149
	Natural stone look, Mineral and vinyl composite material, carbon black 1.880 × 200 × 6 mm	072040600	4024125121156
	homogeneous, mineral material, pure white 1.880 × 200 × 6 mm	072040100	4024125105064
	③ For cladding the sides of step-up shower enclosures finished with Fundo Top ready-to-use surface. ④ accessories ③ required: wedi 610 adhesive sealant		

# 03

## Design and shape

wedi design elements in a wide variety of shapes offer innumerable design options. From benches through corner structures and neat end solutions to loungers – the wide range of designs allows for the creation of stylish, modern bath and wellness facilities which are individually tileable. wedi Top surfaces offer a seamless alternative to tiles for walls and wedi Fundo shower elements. The modern design in a natural stone look gives any bathroom a certain something.



### wedi Sanbath wash basin

The stylish wedi Sanbath Cube and wedi Sanbath Wave wash stands can be tiled to match the design of the bathroom. They already have all of the necessary recesses for fittings integrated and can therefore be installed easily, quickly and safely.



### wedi Sanoasa benches

The wedi Sanoasa benches enhance the shower area and combine body care with maximum comfort. They are available in a variety of designs, e.g. with a straight, angled or rounded seat edge and as a floating solution.

### wedi Top Wall

The elegant wedi Top Wall surfaces are an ideal alternative to tiles. They are made of a high-quality coloured material with a natural stone look and can be combined however you like in the available colours of stone grey and carbon black.

## wedi Top® Wall ready-to-use surface • Natural stone look, stone grey



	length × width × thickness	order no.	GTIN
	2.500 × 900 × 6 mm	072042000	4024125121163
	2.500 × 1.200 × 6 mm	072042001	4024125121170

③ High-quality seamless surface made from mineral and vinyl composite material for cladding a wide variety of even surfaces, such as wedi building boards, Subliner or tiles

③ Adhesion is done with wedi 610 adhesive sealant.  
① Can be cut and shortened on site  
① technical drawing: see page 113

outer packaging/pallet edging  
③ pallet edging 10 units

accessories  
① required: wedi 610 adhesive sealant  
① optional: wedi Top Wall installation set

## wedi Top® Wall ready-to-use surface • Natural stone look, carbon black



	length × width × thickness	order no.	GTIN
	2.500 × 900 × 6 mm	072042100	4024125121187
	2.500 × 1.200 × 6 mm	072042101	4024125121194


③ High-quality seamless surface made from mineral and vinyl composite material for cladding a wide variety of even surfaces, such as wedi building boards, Subliner or tiles

③ Adhesion is done with wedi 610 adhesive sealant.  
① Can be cut and shortened on site  
① technical drawing: see page 113


outer packaging/pallet edging  
③ pallet edging 10 units

accessories  
① required: wedi 610 adhesive sealant  
① optional: wedi Top Wall installation set


## wedi Sanoasa® bench 1 • finish straight, slope to front

	length × seat depth × height		order no.	GTIN												
		900 × 380 × 454 mm	076447020	4024125092029												
		1.200 × 380 × 454 mm	076447021	4024125092449												
<b>⊕</b> ③ The separating height for the installation of the Fundo Discreto is 154 mm on the straight side of the substructure element. ③ technical drawing: see page 113																
<b>⊕</b> scope of delivery ③ 1 × bench element ③ 1 × substructure element ③ 2 × wedi building boards, 6 mm																
<b>⊕</b> tileable surfaces <table> <tr> <td></td> <td>076447020</td> <td>076447021</td> </tr> <tr> <td>Top</td> <td>0,34 m<sup>2</sup></td> <td>0,46 m<sup>2</sup></td> </tr> <tr> <td>Front</td> <td>0,41 m<sup>2</sup></td> <td>0,54 m<sup>2</sup></td> </tr> <tr> <td>Side surface</td> <td>0,17 m<sup>2</sup></td> <td>0,17 m<sup>2</sup></td> </tr> </table>						076447020	076447021	Top	0,34 m <sup>2</sup>	0,46 m <sup>2</sup>	Front	0,41 m <sup>2</sup>	0,54 m <sup>2</sup>	Side surface	0,17 m <sup>2</sup>	0,17 m <sup>2</sup>
	076447020	076447021														
Top	0,34 m <sup>2</sup>	0,46 m <sup>2</sup>														
Front	0,41 m <sup>2</sup>	0,54 m <sup>2</sup>														
Side surface	0,17 m <sup>2</sup>	0,17 m <sup>2</sup>														
<b>⊕</b> accessories ③ required: wedi 610 adhesive sealant, wedi Tools joint reinforcement tape ③ optional: Fundo Discreto																


## wedi Sanoasa® bench 2 • finish angled, slope to front

	length × seat depth × height		order no.	GTIN												
		900 × 380 × 454 mm	076447022	4024125092579												
		1.200 × 380 × 454 mm	076447023	4024125092098												
<b>⊕</b> ③ technical drawing: see page 114																
<b>⊕</b> tileable surfaces <table> <tr> <td></td> <td>076447022</td> <td>076447023</td> </tr> <tr> <td>Top</td> <td>0,34 m<sup>2</sup></td> <td>0,46 m<sup>2</sup></td> </tr> <tr> <td>Front</td> <td>0,43 m<sup>2</sup></td> <td>0,57 m<sup>2</sup></td> </tr> <tr> <td>Side surface</td> <td>0,17 m<sup>2</sup></td> <td>0,17 m<sup>2</sup></td> </tr> </table>						076447022	076447023	Top	0,34 m <sup>2</sup>	0,46 m <sup>2</sup>	Front	0,43 m <sup>2</sup>	0,57 m <sup>2</sup>	Side surface	0,17 m <sup>2</sup>	0,17 m <sup>2</sup>
	076447022	076447023														
Top	0,34 m <sup>2</sup>	0,46 m <sup>2</sup>														
Front	0,43 m <sup>2</sup>	0,57 m <sup>2</sup>														
Side surface	0,17 m <sup>2</sup>	0,17 m <sup>2</sup>														
<b>⊕</b> accessories ③ required: wedi 610 adhesive sealant, wedi Tools joint reinforcement tape																

## wedi Sanoasa® bench 3 • finish rounded, slope to front

	length × seat depth × height		order no.	GTIN												
		900 × 380 × 454 mm	076447024	4024125092210												
		1.200 × 380 × 454 mm	076447025	4024125092302												
<b>⊕</b> ③ Information about tiling: see page 136 ③ technical drawing: see page 114																
<b>⊕</b> tileable surfaces <table> <tr> <td></td> <td>076447024</td> <td>076447025</td> </tr> <tr> <td>Top</td> <td>0,38 m<sup>2</sup></td> <td>0,51 m<sup>2</sup></td> </tr> <tr> <td>Front</td> <td>0,36 m<sup>2</sup></td> <td>0,49 m<sup>2</sup></td> </tr> <tr> <td>Side surface</td> <td>0,17 m<sup>2</sup></td> <td>0,17 m<sup>2</sup></td> </tr> </table>						076447024	076447025	Top	0,38 m <sup>2</sup>	0,51 m <sup>2</sup>	Front	0,36 m <sup>2</sup>	0,49 m <sup>2</sup>	Side surface	0,17 m <sup>2</sup>	0,17 m <sup>2</sup>
	076447024	076447025														
Top	0,38 m <sup>2</sup>	0,51 m <sup>2</sup>														
Front	0,36 m <sup>2</sup>	0,49 m <sup>2</sup>														
Side surface	0,17 m <sup>2</sup>	0,17 m <sup>2</sup>														
<b>⊕</b> accessories ③ required: wedi 610 adhesive sealant, wedi Tools joint reinforcement tape ③ optional: Fundo Discreto																

## wedi Sanoasa® bench 4 ▪ straight, slope to front



	length × seat depth × thickness	order no.	GTIN
	1.200 × 380 × 80 mm	076447041	4024125100823

ⓘ The wedi Sanoasa bench 4 gets by without a substructure if it is attached on 3 sides and is therefore free-standing.

ⓘ technical drawing: see page 114

Tileable surfaces

076447041

Top

0,46 m<sup>2</sup>

Front

0,1 m<sup>2</sup>

Bottom

0,46 m<sup>2</sup>

scope of delivery

① 1 × seat element

② 2 × installation beams

+ accessories

③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape

## wedi Sanoasa® corner seat element



	length × seat depth × thickness	order no.	GTIN
size M	600 × 300 × 100 mm	073784302	4024125091947
size L	800 × 400 × 100 mm	073784402	4024125091992

ⓘ technical drawing: see page 114

Tileable surfaces

073784302 073784402

Front

0,09 m<sup>2</sup> 0,16 m<sup>2</sup>

Rear

0,09 m<sup>2</sup> 0,16 m<sup>2</sup>

Side surface

0,06 m<sup>2</sup> 0,08 m<sup>2</sup>

scope of delivery

① 1 × seat element

② 2 × installation beams

③ 1 × wedi Tools joint reinforcement tape, 3 m

+ accessories

③ required: wedi 610 adhesive sealant

## wedi Sanoasa® Comoda bench element ▪ slope to front

for Sanoasa Comoda base element



	length × width × height	order no.	GTIN
	1.000 × 600 × 620 mm	076447015	4024125010085
	2.000 × 600 × 620 mm	076438000	4024125010290

ⓘ Information about tiling: see page 136

② technical drawing: see page 115

Tileable surfaces

076447015 076438000

Front

1,15 m<sup>2</sup> 2,3 m<sup>2</sup>

Rear

0,62 m<sup>2</sup> 1,24 m<sup>2</sup>

Side surface

0,16 m<sup>2</sup> 0,31 m<sup>2</sup>

scope of delivery

1 × back rest

1 × seat

delivery time approx. 2 weeks ex-works.

+ accessories

③ required: wedi 610 adhesive sealant,

wedi Tools joint reinforcement tape

④ optional: with integrated electric heating set,

with integrated hot water heating set

## wedi Sanoasa® Comoda Base element

for Sanoasa Comoda bench element



	length × width × height	order no.	GTIN
finish straight	1.000 × 500 × 250 mm	076437000	4024125009386
finish round	1.000 × 500 × 250 mm	076437500	4024125092258



③ technical drawing: see page 115



⌚ delivery time approx. 2 weeks ex-works.



Tileable surfaces	076437500
	0,3 m <sup>2</sup>
Front	0,25 m <sup>2</sup>
Rear	0,13 m <sup>2</sup>
Side surface	0,13 m <sup>2</sup>




⌚ accessories

③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape

## wedi Sanoasa® Comoda corner bench element ▪ 90°, slope to front

for Sanoasa Comoda corner base element 90°



	length × width × height	order no.	GTIN
transition straight	650 × 650 × 620 mm	076447004	4024125006132
transition rounded	850 × 850 × 620 mm	076447000	4024125006095



⌚ Information about tiling: see page 136  
③ technical drawing: see page 115



⌚ delivery time approx. 2 weeks ex-works.




Tileable surfaces	076447004	076447000
	0,9 m <sup>2</sup>	1,2 m <sup>2</sup>
Front	0,9 m <sup>2</sup>	1,1 m <sup>2</sup>
Rear	0,31 m <sup>2</sup>	0,31 m <sup>2</sup>
Side surface		



⌚ accessories

- ③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape
- ③ optional: with integrated electric heating set,  
with integrated hot water heating set
- ③ not compatible: Sanoasa Comoda support element with  
rounded end

wedi Sanoasa® Comoda corner base element ▪ 90°, finish straight  
for Sanoasa Comoda corner bench element 90°



	length × width × height	order no.	GTIN
transition straight	650 × 650 × 250 mm	076447005	4024125006149
transition rounded	850 × 850 × 250 mm	076447001	4024125006101

③ technical drawing: see page 115

delivery time approx. 2 weeks ex-works.

Tileable surfaces	076447001
	076447005
Front	0,1 m <sup>2</sup>
Rear	0,4 m <sup>2</sup>
Side surface	0,25 m <sup>2</sup>

accessories

③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape

## wedi Sanoasa® Comoda end bench element ▪ right, slope to front

for Sanoasa Comoda end base element



	length × width × height	order no.	GTIN
Corner radius 200 mm	600 × 300 × 620 mm	076447012	4024125006217
Corner radius 600 mm	700 × 600 × 620 mm	076447009	4024125006187

- ③ Information about tiling: see page 136  
③ technical drawing: see page 116

delivery time approx. 2 weeks ex-works.

### Tileable surfaces

	076447012	076447009
Front	0,6 m <sup>2</sup>	0,8 m <sup>2</sup>
Rear	0,2 m <sup>2</sup>	0,3 m <sup>2</sup>
Side surface	0,31 m <sup>2</sup>	0,31 m <sup>2</sup>

accessories

- ③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape  
③ optional: with integrated electric heating set,  
with integrated hot water heating set

## wedi Sanoasa® Comoda end base element

for Sanoasa Comoda end bench element



	length × width × height	order no.	GTIN
Corner radius 200 mm	500 × 200 × 250 mm	076447013	4024125006224
Corner radius 600 mm	600 × 500 × 250 mm	076447010	4024125006194

- ③ The element can be installed both to the left and  
to the right.  
③ Information about tiling: see page 136  
③ technical drawing: see page 117

delivery time approx. 2 weeks ex-works.

### Tileable surfaces

	076447013	076447010
Front	0,2 m <sup>2</sup>	0,3 m <sup>2</sup>
Rear	0,1 m <sup>2</sup>	0,2 m <sup>2</sup>
Side surface	0,25 m <sup>2</sup>	0,25 m <sup>2</sup>

accessories

- ③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape

## wedi Sanoasa® Comoda armrest

for Sanoasa Comoda bench element



	length × width × height	order no.	GTIN
	650 × 105 × 870 mm	076447014	4024125006231

- ③ The element can be installed both to the left and  
to the right.  
③ Information about tiling: see page 136  
③ technical drawing: see page 117

delivery time approx. 2 weeks ex-works.

### Tileable surfaces


	076447014
Front	0,75 m <sup>2</sup>
Rear	0,1 m <sup>2</sup>
Side surface	0,9 m <sup>2</sup>

accessories

- ③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape

## wedi Sanoasa® Bellina bench element ▪ slope to front

for Sanoasa Bellina base element



	length × width × height	order no.	GTIN
	1.000 × 486 × 240 mm	076448015	4024125010108
	2.000 × 486 × 240 mm	076441000	4024125092296

- ③ Information about tiling: see page 136  
③ technical drawing: see page 117

delivery time approx. 2 weeks ex-works.

## Tileable surfaces

	076448015	076441000
Front	0,73 m <sup>2</sup>	1,45 m <sup>2</sup>
Rear	0,25 m <sup>2</sup>	0,5 m <sup>2</sup>
Side surface	0,1 m <sup>2</sup>	0,19 m <sup>2</sup>

## accessories

- ③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape
- ③ optional: with integrated electric heating set,  
with integrated hot water heating set

## wedi Sanoasa® Bellina Base element

for Sanoasa Bellina bench element



	length × width × height	order no.	GTIN
finish straight	1.000 × 386 × 250 mm	076441500	4024125092654
finish round	1.000 × 425 × 250 mm	076441600	4024125092661

- ③ technical drawing: see page 117

delivery time approx. 2 weeks ex-works.


## Tileable surfaces

	076441500	076441600
Front	0,3 m <sup>2</sup>	0,6 m <sup>2</sup>
Rear	0,25 m <sup>2</sup>	0,5 m <sup>2</sup>
Side surface	0,1 m <sup>2</sup>	0,19 m <sup>2</sup>

## accessories

- ③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape

wedi Sanoasa® Bellina corner bench element •90°, slope to front  
for Sanoasa Bellina corner base element 90°



	length × width × height	order no.	GTIN
transition straight	550 × 550 × 240 mm	076448004	4024125006286
transition rounded	736 × 736 × 240 mm	076448000	4024125006248



③ Information about tiling: see page 136  
③ technical drawing: see page 118



delivery time approx. 2 weeks ex-works.


Tileable surfaces

	076448004	076448000
Front	0,35 m <sup>2</sup>	0,45 m <sup>2</sup>
Rear	0,3 m <sup>2</sup>	0,3 m <sup>2</sup>
Side surface	0,19 m <sup>2</sup>	0,19 m <sup>2</sup>



- accessories
- ③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape
- ③ optional: with integrated electric heating set,  
with integrated hot water heating set
- ③ not compatible: Sanoasa Bellina support element with  
rounded end

wedi Sanoasa® Bellina corner base element •90°, finish straight  
for Sanoasa Bellina corner bench element 90°



	length × width × height	order no.	GTIN
transition straight	550 × 550 × 250 mm	076448005	4024125006293
transition rounded	736 × 736 × 250 mm	076448001	4024125006255



③ technical drawing: see page 118



delivery time approx. 2 weeks ex-works.

Tileable surfaces


	076448005	076448001
Front	0,1 m <sup>2</sup>	0,15 m <sup>2</sup>
Rear	0,3 m <sup>2</sup>	0,3 m <sup>2</sup>
Side surface	0,2 m <sup>2</sup>	0,2 m <sup>2</sup>



- accessories
- ③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape

## wedi Sanoasa® Bellina end bench element ▪ left, slope to front

for Sanoasa Bellina end base element



	length × width × height	order no.	GTIN
Corner radius 200 mm	486 × 300 × 240 mm	076448011	4024125006354
Corner radius 486 mm	600 × 486 × 240 mm	076448008	4024125006323

- ③ Information about tiling: see page 136  
③ technical drawing: see page 118

delivery time approx. 2 weeks ex-works.

## Tileable surfaces


	076448011	076448008
Front	0,3 m <sup>2</sup>	0,4 m <sup>2</sup>
Rear	0,2 m <sup>2</sup>	0,2 m <sup>2</sup>
Side surface	0,19 m <sup>2</sup>	0,19 m <sup>2</sup>

## accessories

- ③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape  
③ optional: with integrated electric heating set,  
with integrated hot water heating set

## wedi Sanoasa® Bellina end bench element ▪ right, slope to front

for Sanoasa Bellina end base element



	length × width × height	order no.	GTIN
Corner radius 200 mm	486 × 300 × 240 mm	076448012	4024125006361
Corner radius 486 mm	600 × 486 × 240 mm	076448009	4024125006330

- ③ Information about tiling: see page 136  
③ technical drawing: see page 118

delivery time approx. 2 weeks ex-works.

## Tileable surfaces

	076448012	076448009
Front	0,3 m <sup>2</sup>	0,4 m <sup>2</sup>
Rear	0,2 m <sup>2</sup>	0,2 m <sup>2</sup>
Side surface	0,19 m <sup>2</sup>	0,19 m <sup>2</sup>

## accessories

- ③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape  
③ optional: with integrated electric heating set,  
with integrated hot water heating set

## wedi Sanoasa® Bellina end base element

for Sanoasa Bellina end bench element



	length × width × height	order no.	GTIN
Corner radius 200 mm	386 × 200 × 250 mm	076448013	4024125006378
Corner radius 486 mm	500 × 486 × 250 mm	076448010	4024125006347

- ③ The element can be installed both to the left and  
to the right.  
③ Information about tiling: see page 136  
③ technical drawing: see page 119

delivery time approx. 2 weeks ex-works.

## Tileable surfaces

	076448013	076448010
Front	0,15 m <sup>2</sup>	0,2 m <sup>2</sup>
Rear	0,15 m <sup>2</sup>	0,25 m <sup>2</sup>
Side surface	0,2 m <sup>2</sup>	0,2 m <sup>2</sup>

## accessories

- ③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape

product information

application

delivery

accessories

## wedi Sanoasa® Bellina armrest

for Sanoasa Bellina bench element



	length × width × height	order no.	GTIN
	550 × 105 × 650 mm	076448014	4024125006385

- ③ The element can be installed both to the left and to the right.  
 ③ Information about tiling: see page 136  
 ③ technical drawing: see page 119
- delivery time approx. 2 weeks ex-works.

### Tileable surfaces

	076448014
Front	0,65 m <sup>2</sup>
Rear	0,1 m <sup>2</sup>
Side surface	0,72 m <sup>2</sup>

- accessories  
 ③ required: wedi 610 adhesive sealant,  
 wedi Tools joint reinforcement tape

## wedi Sanoasa® lounger 1



	length × width × height	order no.	GTIN
without heating	1.920 × 700 × 672 mm	076400042	4024125009713
with electric heating, installed in the factory	1.920 × 700 × 672 mm	076400043	4024125009720
with hot water heating, installed in the factory	1.920 × 700 × 672 mm	076400044	4024125009737

- ③ Information about tiling: see page 136  
 ③ technical drawing: see page 119
- delivery time approx. 4 – 5 weeks ex-works.

### Tileable surfaces

076400042	076400043	076400044
Lounger element	4,15 m <sup>2</sup>	4,15 m <sup>2</sup>
Base element	0,47 m <sup>2</sup>	0,47 m <sup>2</sup>

- accessories  
 ③ required: wedi 610 adhesive sealant,  
 wedi Tools joint reinforcement tape

## wedi Sanoasa® lounger 2



	length × width × height	order no.	GTIN
without heating	1.442 × 700 × 1.104 mm	076400045	4024125009744
with electric heating, installed in the factory	1.442 × 700 × 1.104 mm	076400046	4024125009751
with hot water heating, installed in the factory	1.442 × 700 × 1.104 mm	076400047	4024125009768

- ③ Information about tiling: see page 136  
 ③ technical drawing: see page 119
- delivery time approx. 4 – 5 weeks ex-works.

### Tileable surfaces

076400045	076400046	076400047
Lounger element	2,33 m <sup>2</sup>	2,33 m <sup>2</sup>
Base element	1,51 m <sup>2</sup>	1,51 m <sup>2</sup>

- accessories  
 ③ required: wedi 610 adhesive sealant,  
 wedi Tools joint reinforcement tape

## wedi Sanoasa® lounger 3



	length × width × height	order no.	GTIN
without heating	1.856 × 700 × 764 mm	076400049	4024125009782
with electric heating, installed in the factory	1.856 × 700 × 764 mm	076400050	4024125009799
with hot water heating, installed in the factory	1.856 × 700 × 764 mm	076400051	4024125009805

③ Information about tiling: see page 136

④ technical drawing: see page 120

delivery time approx. 4 – 5 weeks ex-works.

### Tileable surfaces

	076400049	076400050	076400051
Lounger element	3,07 m <sup>2</sup>	3,07 m <sup>2</sup>	3,07 m <sup>2</sup>
Base element	1,28 m <sup>2</sup>	1,28 m <sup>2</sup>	1,28 m <sup>2</sup>

accessories

④ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape

## wedi Sanoasa® lounger 4



	length × width × height	order no.	GTIN
without heating	2.014 × 700 × 921 mm	076400053	4024125957472
with electric heating, installed in the factory	2.014 × 700 × 921 mm	076400054	4024125957885
with hot water heating, installed in the factory	2.014 × 700 × 921 mm	076400055	4024125009843

③ Information about tiling: see page 136

④ technical drawing: see page 120

delivery time approx. 4 – 5 weeks ex-works.

### Tileable surfaces

	076400053	076400054	076400055
Lounger element	3,18 m <sup>2</sup>	3,18 m <sup>2</sup>	3,18 m <sup>2</sup>
Base element	3,05 m <sup>2</sup>	3,05 m <sup>2</sup>	3,05 m <sup>2</sup>

accessories

④ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape

## wedi Sanoasa® lounger 5



	length × width × height	order no.	GTIN
without heating	1.738 × 700 × 890 mm	076400059	4024125009881
with electric heating, installed in the factory	1.738 × 700 × 890 mm	076400060	4024125957465
with hot water heating, installed in the factory	1.738 × 700 × 890 mm	076400061	4024125630412

③ Information about tiling: see page 136

④ technical drawing: see page 120

delivery time approx. 4 – 5 weeks ex-works.


### Tileable surfaces

	076400059	076400060	076400061
Lounger element	4,16 m <sup>2</sup>	4,16 m <sup>2</sup>	4,16 m <sup>2</sup>

accessories

④ required: wedi Tools joint reinforcement tape

## wedi Sanoasa® electric heating temperature controller for Sanoasa loungers



for installation on snap-on mounting rail	1 unit / box	076905500	4024125064170
for concealed installation	1 unit / box	076906000	4024125084444

## wedi Sanbath® Cube wash stand



	length × width × height	order no.	GTIN
	570 × 570 × 925 mm	073606000	4024125092401

- ③ The wash basin is prepared for installation of siphon (1 1/4") and fittings.  
③ technical drawing: see page 120

- scope of delivery  
③ 1 × wash stand  
③ 1 × siphon, connection DN 50

Tileable surfaces

073606000

delivery time approx. 4 – 5 weeks ex-works.

Top + basin interior 0,6 m<sup>2</sup>  
Side surface 2 m<sup>2</sup>

- accessories  
③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape

## wedi Sanbath® Wave wash basin



	length × width × height	order no.	GTIN
	1.000 × 550 × 200 mm	073603000	4024125092340

- ③ The wash basin is prepared for installation of siphon (1 1/4") and fittings.  
③ Information about tiling: see page 136  
③ technical drawing: see page 121

- scope of delivery  
③ 1 × wash basin element  
③ 1 × wall fixing (only for flush-mounted fitting)

delivery time approx. 4 – 5 weeks ex-works

Tileable surfaces  
073603000  
Side surface 1,5 m<sup>2</sup>

- accessories  
③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape

## wedi Sanbath® Cube tub ■DN 50



	length × width × height	order no.	GTIN
	1.800 × 850 × 625 mm	073607001	4024125006880

- ③ technical drawing: see page 121

- scope of delivery

Tileable surfaces  
073607001  
Top + basin interior 2,8 m<sup>2</sup>  
Side surface 3,3 m<sup>2</sup>

delivery time approx. 4 – 5 weeks ex-works

- accessories  
③ required: wedi 610 adhesive sealant,  
wedi Tools joint reinforcement tape

## wedi Sanbath® Wave tub ■ DN 50



	length × width × height	order no.	GTIN
	1.800 × 850 × 625 mm	073601001	4024125006873

- ③ Information about tiling: see page 136  
 ③ technical drawing: see page 121

Tileable surfaces

073601001

Top + basin interior 2,9 m<sup>2</sup>  
 Side surface 3,4 m<sup>2</sup>

- scope of delivery  
 ③ 1 × bathtub element with drain and overflow fitting, connection DN 40/50, inspection chamber for provided fittings  
 ③ 1 × Fundo drain grid 5.1  
 ③ 1 × Fundo frame  
 delivery time approx. 4 – 5 weeks ex-works.

accessories

- ③ required: wedi 610 adhesive sealant,  
 wedi Tools joint reinforcement tape

## wedi Sanbath® Cube shower unit



	length × width × height	order no.	GTIN
	850 × 400 × 2.200 mm	073605000	4024125092425

- ③ technical drawing: see page 122

Tileable surfaces

073605000

Whole element 3,3 m<sup>2</sup>

- scope of delivery  
 ③ 1 × shower unit element  
 ③ 1 × Hansgrohe iBox  
 (with prefabricated piping for a head shower)

delivery time approx. 4 – 5 weeks ex-works.

accessories

- ③ required: wedi 610 adhesive sealant,  
 wedi Tools joint reinforcement tape

## wedi Sanbath® Wave shower unit



	length × width × height	order no.	GTIN
	400 × 1.010 × 2.500 mm	073602000	4024125092371

- ③ Information about tiling: see page 136  
 ③ technical drawing: see page 122

Tileable surfaces

073602000

Top 0,84 m<sup>2</sup>  
 Front + side surface 2,06 m<sup>2</sup>

- scope of delivery  
 ③ 1 × shower unit element  
 ③ 1 × Hansgrohe iBox  
 (with prefabricated piping for a head shower)

delivery time approx. 4 – 5 weeks ex-works.

accessories


- ③ required: wedi 610 adhesive sealant,  
 wedi Tools joint reinforcement tape



# 04

## Building systems

The wedi building board forms the basis for versatile wedi building systems and is available in a variety of designs: in small or large size for floor and wall applications, as a slotted variant for round structures and in the form of functional elements e.g. for shelf and niche solutions, or cladding of pipe connections and WC dry wall installations. All variants are fully sealed and ready-to-tile. They combine a light weight with high stability and are part of the certified modular wedi system.





### wedi Vapor 85

Thanks to the pre-integrated vapour membrane and a high SD value (92 m), the wedi Vapor 85 is perfect for challenging applications in areas with high levels of humidity and thus minimises the installation and sealing work.


### wedi Sanwell wall element

The robust wall element with integrated niche is ideal for use as a shower partition wall and at the same time provides space for necessary care products such as shampoo and shower gel.

### wedi PreLine

The wedi PreLine is a building board element for the easy installation of hot water heating systems. Due to the recesses integrated during manufacturing, the water pipes can be installed quickly and safely.

## wedi building board



length × width × thickness	surface	pallet edging	order no.	GTIN
1.250 × 600 × 4 mm	0,75 m <sup>2</sup>	136 units	010000004	4024125009492
1.250 × 600 × 6 mm	0,75 m <sup>2</sup>	136 units	010000006	4024125060011
1.250 × 600 × 10 mm	0,75 m <sup>2</sup>	100 units	010700010	4024125070218
2.500 × 600 × 4 mm	1,5 m <sup>2</sup>	68 units	010250004	4024125056052
2.500 × 600 × 6 mm	1,5 m <sup>2</sup>	68 units	010250006	4024125051071
2.500 × 600 × 10 mm	1,5 m <sup>2</sup>	50 units	010000010	4024125010016
2.500 × 600 × 12,5 mm	1,5 m <sup>2</sup>	50 units	010000112	4024125085298
2.500 × 600 × 20 mm	1,5 m <sup>2</sup>	50 units	010000020	4024125020015
2.500 × 600 × 30 mm	1,5 m <sup>2</sup>	36 units	010000030	4024125030014
2.500 × 600 × 40 mm	1,5 m <sup>2</sup>	36 units	010000040	4024125040013
2.500 × 600 × 50 mm	1,5 m <sup>2</sup>	24 units	010000050	4024125050012
2.500 × 600 × 60 mm	1,5 m <sup>2</sup>	24 units	010710060	4024125070034
2.500 × 600 × 80 mm	1,5 m <sup>2</sup>	20 units	010710080	4024125070041
2.500 × 600 × 100 mm	1,5 m <sup>2</sup>	20 units	010710199	4024125000642
2.500 × 625 × 12,5 mm	1,56 m <sup>2</sup>	50 units	010000012	4024125010252
2.600 × 600 × 10 mm	1,56 m <sup>2</sup>	50 units	010000610	4024125010009
2.600 × 600 × 20 mm	1,56 m <sup>2</sup>	50 units	010000620	4024125010023
2.600 × 600 × 30 mm	1,56 m <sup>2</sup>	36 units	010000630	4024125010030
2.600 × 600 × 40 mm	1,56 m <sup>2</sup>	36 units	010000640	4024125010047
2.600 × 600 × 50 mm	1,56 m <sup>2</sup>	24 units	010000650	4024125010078

## wedi building board XL



length × width × thickness	surface	pallet edging	order no.	GTIN
2.500 × 900 × 12,5 mm	2,25 m <sup>2</sup>	26 units	010000912	4024125083829
2.500 × 900 × 20 mm	2,25 m <sup>2</sup>	26 units	010000920	4024125083836
2.500 × 900 × 30 mm	2,25 m <sup>2</sup>	18 units	010000930	4024125083843
2.500 × 900 × 50 mm	2,25 m <sup>2</sup>	12 units	010000950	4024125083850

## wedi building board XXL



length × width × thickness	surface	pallet edging	order no.	GTIN
2.500 × 1.200 × 10 mm	3 m <sup>2</sup>	50 units	010729410	4024125115148
2.500 × 1.200 × 20 mm	3 m <sup>2</sup>	26 units	010001220	4024125013475
2.500 × 1.200 × 30 mm	3 m <sup>2</sup>	18 units	010001230	4024125083867
2.500 × 1.200 × 50 mm	3 m <sup>2</sup>	12 units	010001250	4024125083874
2.600 × 1.200 × 12,5 mm	3,12 m <sup>2</sup>	26 units	010001612	4024125035514

## NEW wedi Vapor 85 building board -with pre-installed vapour barrier



length × width × thickness	surface	pallet edging /unit	order no.	GTIN
2.500 × 600 × 12,5 mm	1,5 m <sup>2</sup>	50 units	010702012	4024125125420
2.500 × 600 × 20 mm	1,5 m <sup>2</sup>	50 units	010702020	4024125128780
2.500 × 900 × 12,5 mm	2,25 m <sup>2</sup>	50 units	010702912	4024125125444
2.500 × 900 × 20 mm	2,25 m <sup>2</sup>	50 units	010702920	4024125128797

**i** wedi Vapor 85 is perfect for challenging applications in areas with high levels of humidity. Thanks to the pre-integrated vapour membrane barrier applied in the factory and a high SD value (92 m) it minimises the installation and sealing work.

## wedi Vapor ■with epoxy vapour barrier

length × width × thickness	surface	pallet edging	order no.	GTIN
2.500 × 600 × 14 mm	1,5 m <sup>2</sup>	50 units	010713112	4024125003117
2.500 × 600 × 21,5 mm	1,5 m <sup>2</sup>	50 units	010713020	4024125003100
2.500 × 600 × 51,5 mm	1,5 m <sup>2</sup>	24 units	010713050	4024125003124

 ③ wedi Vapor is perfect for extremely challenging applications in areas with high levels of humidity. Thanks to the epoxy resin vapour barrier applied in the factory and a particularly high SD value (283 m), its use significantly reduces the installation and sealing work.

## wedi Construct® ■lengthwise


length × width × thickness	surface	pallet edging	order no.	GTIN
2.500 × 600 × 20 mm	1,5 m <sup>2</sup>	50 units	010709020	4024125002950
2.500 × 600 × 30 mm	1,5 m <sup>2</sup>	36 units	010709030	4024125073813
2.500 × 600 × 50 mm	1,5 m <sup>2</sup>	24 units	010709050	4024125002998

 ③ Information about tiling: see page 136

diameter calculation

010709020 010709030 010709050

Exterior diameter	363 mm	538 mm	890 mm
full circles per piece	0,5	0,4	0,2



## wedi Construct® ■widthwise


length × width × thickness	surface	pallet edging	order no.	GTIN
2.500 × 600 × 20 mm	1,5 m <sup>2</sup>	50 units	010708020	4024125002967
2.500 × 600 × 30 mm	1,5 m <sup>2</sup>	36 units	010708030	4024125073806
2.500 × 600 × 50 mm	1,5 m <sup>2</sup>	24 units	010708050	4024125089333

 ③ Information about tiling: see page 136


diameter calculation

010708020 010708030 010708050

Exterior diameter	363 mm	538 mm	890 mm
full circles per piece	2,2	1,5	0,9



**NEW wedi PreLine ▪ Building board for laying hot water heating systems**




length × width × thickness	surface	pallet edging	order no.	GTIN
1.240 × 600 × 30 mm	0,74 m <sup>2</sup>	72 units	076400257	4024125120128
1.240 × 600 × 40 mm	0,74 m <sup>2</sup>	72 units	076400259	4024125120494
1.240 × 600 × 50 mm	0,74 m <sup>2</sup>	48 units	076400260	4024125120517
1.240 × 600 × 60 mm	0,74 m <sup>2</sup>	48 units	076400258	4024125120135

**i** wedi PreLine is a fully prepared building board element for the easy installation of a hot water heating systems. Thanks to the factory-integrated recesses, the water pipes can be quickly and safely installed in a perfect pattern.

**⊕** Milling groove: 16x20 mm (WxD)  
⊕ technical drawing: see page 123


**⊕** accessories  
⊕ required: wedi 610 adhesive sealant, wedi 320 universal tile adhesive, wedi Tools self-adhesive reinforcement tape

**wedi Mensolo® L angle unit ▪ material thickness 20 mm**




length × width × height	pallet edging	order no.	GTIN
2.500 × 150 × 150 mm	60 units	074300091	4024125430012
2.500 × 200 × 200 mm	40 units	074300092	4024125430029
2.500 × 200 × 400 mm	40 units	074300094	4024125430043
2.500 × 300 × 300 mm	40 units	074300093	4024125430036
2.600 × 150 × 150 mm	60 units	074300691	4024125430203
2.600 × 200 × 200 mm	40 units	074300692	4024125430210
2.600 × 200 × 400 mm	40 units	074300694	4024125430234
2.600 × 300 × 300 mm	40 units	074300693	4024125430227

**wedi Mensolo® U angle unit ▪ material thickness 20 mm**



length × width × height	pallet edging	order no.	GTIN
2.600 × 200 × 200 mm	40 units	074300695	4024125035569
2.600 × 300 × 150 mm	30 units	074300696	4024125002783

**wedi Bathboard® bath cladding**



	length × width × thickness	pallet edging	order no.	GTIN
side panel	1.800 × 600 × 20 mm	30 units	073820100	4024125014984
side panel	2.100 × 600 × 20 mm	30 units	073820101	4024125014991
head piece	770 × 600 × 20 mm	30 units	073820102	4024125015004


**i** incl. height adjustable feet  
**⊕** accessories  
⊕ optional: wedi 610 adhesive sealant

## wedi Bathboard<sup>®</sup> Shower shower tray cladding ■ side panel



	length × width × thickness	pallet edging	order no.	GTIN
	900 × 200 × 20 mm	30 units	073830001	4024125015011
	900 × 300 × 20 mm	30 units	073830002	4024125015172

## wedi I-Board<sup>®</sup> WC dry wall installation cladding




	length × width × thickness	pallet edging	order no.	GTIN
	1.200 × 1.245 × 20 mm	30 units	073964220	4024125957724

+ accessories  
③ optional: wedi 610 adhesive sealant

+ scope of delivery  
③ 1 × wedi I-Board, WC installation systems cover  
③ 6 × self-tapping screws  
③ 6 × wedi Tools washer


## wedi Sanwell<sup>®</sup> niche



	Internal dimensions (L × W × D)	length × width × depth	order no.	GTIN
20/40, frame width 10 mm	234 × 434 × 100 mm	454 × 654 × 112,5 mm	074315410	4024125091152
30/60, frame width 10 mm	334 × 634 × 100 mm	554 × 854 × 112,5 mm	074315411	4024125091220
20/40, frame width 12,5 mm	234 × 434 × 70 mm	454 × 654 × 82,5 mm	074315420	4024125102780
30/60, frame width 12,5 mm	334 × 634 × 70 mm	554 × 854 × 82,5 mm	074315421	4024125102803

- + technical drawing: see page 123  
+ accessories  
③ optional: wedi 610 adhesive sealant
- + outer packaging/pallet edging  
③ pallet edging 30 units

## wedi Sanwell<sup>®</sup> wall element



	length × width × thickness	order no.	GTIN
XL, with niche 60/30	2.500 × 900 × 100 mm	041701100	4024125091749
XXL, with niche 60/30	2.500 × 1.200 × 100 mm	041701101	4024125091763

i ③ Partition wall with prefabricated niche and building board recesses for individual nichearrangement

- + technical drawing: see page 124  
+ accessories  
③ optional: wedi 610 adhesive sealant
- + scope of delivery  
③ 1 × wall element  
③ 1 × wedi building board, 330 × 630 × 10 mm  
③ 4 × wedi building board, 330 × 76 × 30 mm  
+ outer packaging/pallet edging  
③ pallet edging 10 units

**Fundo Trollo® wall element**

for Fundo Trollo shower element



	diameter × height	order no.	GTIN
round	1.100 × 2.015 mm	041709002	4024125417099


- ① The glass door can only be mounted after tiling.  
② Information about tiling: see page 136  
③ technical drawing: see page 124

- accessories  
④ optional: wedi Fundo glass sliding door

- scope of delivery  
⑤ 2 × wall segment type A  
⑥ 3 × wall segment type B  
⑦ 5 × spring  
⑧ 1 × wedi Tools joint reinforcement tape, self-adhesive, 25 m  
⑨ 5 × wedi 610 adhesive sealant, cartridge

**Fundo Trollo® extension collar wall**

for Fundo Trollo wall element



	diameter × height	order no.	GTIN
round	1.100 × 500 mm	041709052	4024125089791

- ① Information about tiling: see page 136  
technical drawing: see page 124

- accessories  
⑩ optional: wedi 610 adhesive sealant

- scope of delivery  
⑪ 6 × wall segment type B  
⑫ 5 × spring  
⑬ 1 × wedi Tools joint reinforcement tape, 25 m  
⑭ 1 × wedi 610 adhesive sealant, cartridge

**Fundo Trollo® libero wall element**

for Fundo Trollo shower element



	length × width × height	order no.	GTIN
round	1.154 × 1.100 × 2.015 mm	041709003	4024125001878

- ⑮ The Fundo Trollo libero can be positioned anywhere in the room.  
⑯ The glass door can only be mounted after tiling.  
⑰ Information about tiling: see page 136  
⑱ technical drawing: see page 125

- accessories  
⑲ optional: Fundo Trollo libero extension collar wall, wedi Fundo glass sliding door

- scope of delivery  
⑳ 2 × wall segment type A  
㉑ 1 × wall segment type B  
㉒ 1 × wall segment type E  
(with reinforcement for fittings and shower head)  
㉓ 1 × wall segment type F  
(with reinforcement for installing the shower rail)  
㉔ 1 × wall segment type G  
㉕ 1 × inspection board, building board 40 mm  
㉖ 5 × spring  
㉗ 1 × wedi Tools joint reinforcement tape, self-adhesive, 25 m  
㉘ 5 × wedi 610 adhesive sealant, cartridge

**Fundo Trollo® libero extension collar wall**

for Fundo Trollo libero wall element



	length × width × height	order no.	GTIN
round	1.154 × 1.100 × 500 mm	041709053	4024125002714

- ㉛ Information about tiling: see page 136  
technical drawing: see page 125

- scope of delivery  
㉜ 1 × wedi 610 adhesive sealant, cartridge

## Fundo Nautilo® wall element

for Fundo Nautilo shower element



	length × width × height	order no.	GTIN
shell-shaped	1.850 × 1.475 × 2.015 mm	041708000	4024125417082

- ③ The Fundo Nautilo wall element can be installed as an entry on the right or as an entry on the left.  
③ Information about tiling: see page 136  
③ technical drawing: see page 125

- scope of delivery  
③ 1 × wall segment type A  
③ 2 × wall segment type B  
③ 4 × wall segment type C  
③ 1 × wall segment type D  
③ 7 × spring  
③ 2 × wedi Tools joint reinforcement tape, self-adhesive, 25 m  
③ 6 × wedi 610 adhesive sealant, cartridge

## Fundo Nautilo® extension collar wall

for Fundo Nautilo wall element



	length × width × height	order no.	GTIN
shell-shaped	1.850 × 1.475 × 500 mm	041708052	4024125089784

- ③ Information about tiling: see page 136  
③ technical drawing: see page 125

- scope of delivery  
③ 1 × wedi 610 adhesive sealant, cartridge

## Fundo Nautilo® libero wall element

for Fundo Nautilo shower element



	length × width × height	order no.	GTIN
shell-shaped	1.850 × 1.475 × 2.015 mm	041708002	4024125001885

- ③ The Fundo Nautilo libero can be positioned anywhere in the room.  
③ The Fundo Nautilo wall element can be installed as an entry on the right or as an entry on the left.  
③ Information about tiling: see page 136  
③ technical drawing: see page 126

- scope of delivery  
③ 1 × wall segment type B  
③ 4 × wall segment type C  
③ 1 × wall segment type D  
③ 1 × wall segment type E  
(with reinforcement for fittings and shower head)  
③ 1 × wall segment type F  
(with reinforcement for installing the shower rail)  
③ 1 × wall segment type G  
③ 1 × inspection board, building board 40 mm  
③ 8 × spring  
③ 2 × wedi Tools joint reinforcement tape, self-adhesive, 25 m  
③ 7 × wedi 610 adhesive sealant, cartridge

## Fundo Nautilo® libero extension collar wall

for Fundo Nautilo libero wall element



	length × width × height	order no.	GTIN
shell-shaped	1.850 × 1.529 × 500 mm	041708053	4024125002707

- ③ Information about tiling: see page 136  
③ technical drawing: see page 126

- scope of delivery  
③ 1 × wedi 610 adhesive sealant, cartridge

## wedi Fundo® glass swing door

for Fundo Trollo, Trollo libero



③ The glass door can only be mounted after tiling.

	length × width × thickness	order no.	GTIN
Aluminium / tempered glass	1.990 × 558 × 100 mm	608001100	4024125091169

scope of delivery

- ③ 1 × glass door
- ③ 1 × chrome-plated doorknob
- ③ 2 × high gloss anodised aluminium wall connection profiles
- ③ 1 × stop rail
- ③ 1 × sealing and protection profile
- ③ 1 × silicone
- ③ 14 × screws

## wedi Eterna glass door



	folding dimension: height × width	order no.	GTIN
door stop DIN left, for wall thickness 80 mm	1.983 × 591 mm	676500014	4024125102704
door stop DIN left, for wall thickness 80 mm	1.983 × 716 mm	676500015	4024125102728
door stop DIN left, for wall thickness 50 mm	1.983 × 591 mm	676500016	4024125102742
door stop DIN left, for wall thickness 80 mm	1.983 × 966 mm	676500017	4024125102766
door stop DIN right, for wall thickness 80 mm	1.983 × 591 mm	676500010	4024125102629
door stop DIN right, for wall thickness 80 mm	1.983 × 716 mm	676500011	4024125102643
door stop DIN right, for wall thickness 50 mm	1.983 × 591 mm	676500012	4024125102667
door stop DIN right, for wall thickness 80 mm	1.983 × 966 mm	676500013	4024125102681

③ technical drawing: see page 126

scope of delivery

- ③ 1 × glass door
- ③ 1 × stainless steel frame
- ③ 1 × fitting



Doors

# 05

## System accessories

Quick, high-quality and safety guaranteed. The versatile range of wedi accessories offers practical system aids for sealing, bonding and installation. From the tried and tested wedi 610 adhesive sealant through fleece-backed sealing membranes and corners to the comprehensive wedi Fundo sealing set for all connections and joints in the shower.






### wedi 610 adhesive sealant

wedi components can be bonded with full waterproofing using the wedi 610 adhesive sealant. Since the product has just one component, joint to joint bonding is possible in just one work step. In addition to this, wedi 610 also offers excellent resistance to weathering and chemicals and is free from solvents, silicone and PCP. The combination of wedi building boards and wedi 610 has a general building authority test certificate for highly stressed areas. This saves time since no additional sealing is required.



### wedi 620 sealant

The single-component wedi 620 sealant is suitable for the waterproof adhesion of wedi Tools sealing tapes, corners and sealing gaiters. It can also be used for the sealing of wedi Vapor 85 with an integrated vapour membrane applied in the factory and of joint areas of wedi Subliner Dry and wedi Subliner Dry & Flex sealing and decoupling membranes.



### wedi Subliner

The thin-layered wedi Subliner Dry sealing membrane is also suitable for long-lasting sealing. The wedi Subliner Flex decoupling membrane allows for reliable decoupling of wall and floor surfaces. The flexible, crack-bridging 2in1 wedi Subliner Dry & Flex sealing and decoupling membrane offers both sealing and decoupling.



### wedi 520 flexible sealants

The flexible two-component sealant is perfect for sealing under ceramic tiles and special details in all wedi sealing systems. It is hydraulic drying and ensures maximum peace of mind.



## wedi 320 universal tile adhesive



content  
25 kg / sack

order no. GTIN  
110025320 4024125007238

- ③ Consumption: notching 4 × 4 mm - ca. 1,3 kg/m<sup>2</sup>  
notching 6 × 6 mm - ca. 2,2 kg/m<sup>2</sup>  
notching 8 × 8 mm - ca. 2,8 kg/m<sup>2</sup>

- outer packaging/pallet edging  
③ pallet edging 42 units

## wedi 360 flexible medium-bed mortar, quick



content  
25 kg / sack

order no. GTIN  
110025360 4024125007276

- ③ Ideal for laying of building boards on bats with subsequent dowelling.  
 ③ Consumption: notching 10 mm - ca. 3,6 kg/m<sup>2</sup>  
notching 15 mm - ca. 6,9 kg/m<sup>2</sup>  
notching 20 mm - ca. 8,5 kg/m<sup>2</sup>  
notching 25 mm - ca. 9,7 kg/m<sup>2</sup>

- outer packaging/pallet edging  
③ pallet edging 42 units

## wedi 610® adhesive sealant

for bonding and sealing



single-component	content 310 ml / cartridge	order no.	GTIN 076902002 4024125952217
single-component	content 600 ml / tubular bag	order no.	GTIN 076902007 4024125112611

- ③ Butt joints between wedi building boards and wedi Fundo shower elements, among others, can be bonded and fully waterproofed with wedi 610. The combination of wedi building boards and wedi 610 has a general building authority test certificate for highly stressed areas.  
 ③ consumption: 8 – 10 m per cartridge  
15 – 19 m per tubular bag

- outer packaging/pallet edging  
③ content per box 20 units

## NEW · wedi 620 sealant

for bonding and sealing



single-component	content 290 ml / cartridge	order no.	GTIN 076902010 4024125126380
------------------	-------------------------------	-----------	---------------------------------

- ③ wedi Tools sealing tapes, sealing corners and sealing gaiters can be bonded and fully waterproofed with wedi 620. It can also be used for sealing the joint areas of wedi Vapor 85 building board and of wedi Subliner Dry and wedi Subliner Dry & Flex sealing and decoupling membranes.

- ③ Consumption: approx. 1.5 kg/m<sup>2</sup> per mm of thickness  
approx. 70 ml per running metre for bonding of sealing membranes with a 6 cm overlap / approx. 140 ml per running metre for bonding of 12 cm wide sealing tapes,  
approx. 115 per running metre for bonding of 10 cm wide sealing tapes

- outer packaging/pallet edging  
content per box 12 units

## wedi 520 flexible sealant

for sealing



	content	order no.	GTIN
two-component	30 kg / Combination container (bag + canister)	119900520	4024125007504

- ③ consumption per m<sup>2</sup> (for surface sealing):  
approx. 4,20 kg/m<sup>2</sup> /  
consumption per serial metre (for joint sealing):  
approx. 0,42 kg/serial metre

- scope of delivery  
③ 1 x powder component, 20 kg  
③ 1 x liquid component, 10 kg  
outer packaging/pallet edging  
③ pallet edging 40 units

## wedi Fundo® sealing set

for sealing



	content	order no.	GTIN
	1 set / bucket	073796000	4024125000178

- ③ A wedi Fundo sealing set is sufficient for installing a Fundo shower element including the respective wall elements.

- scope of delivery  
③ 1 x powder component, 2,4 kg  
③ 1 x liquid component, 1,2 kg  
③ 1 x wedi Tools sealing tape, 10 m  
③ 2 x wedi Tools inside corners  
outer packaging/pallet edging  
③ pallet edging 36 buckets

## wedi Tools® sealing tape ■ fleece laminated

for sealing



	length × width × thickness	order no.	GTIN
	10 m × 120 mm × 1 mm	095110311	4024125002639
	50 m × 120 mm × 1 mm	095110352	4024125002608
	50 m × 100 mm × 1 mm	095100352	4024125002653

- ③ For reliable sealing of connections, butt joints and intersections from wedi building boards and Fundo shower elements to other materials outside the system e.g. floor screed or plasterboard, etc.

## wedi Tools® corner ■ inside, fleece laminated, length of side piece 120 mm

for sealing



	length × width × height	order no.	GTIN
	120 × 120 × 60 mm	095130001	4024125002684

- ③ For reliable sealing of corner and connection joints from wedi building boards and Fundo shower elements to other materials outside the system (e.g. screed, plasterboard, etc.).

- outer packaging/pallet edging  
③ content per box 25 units

## wedi Tools® corner ■ outside, fleece laminated, length of side piece 105 mm

for sealing



	length × width × height	order no.	GTIN
	167 × 167 × 60 mm	095135001	4024125002691

- ③ For reliable sealing of corner and connection joints from wedi building boards and Fundo shower elements to other materials outside the system (e.g. screed, plasterboard, etc.).

- outer packaging/pallet edging  
③ content per box 25 units


wedi Tools® sloped lip-end sealing tape ▪ corner installation, fleece laminated  
for Fundo Riolito



	length × width × height	order no.	GTIN
left	226 × 110 × 66,75 mm	095135012	4024125113762
right	226 × 110 × 66,75 mm	095135013	4024125113786
left, suitable for order no. 073737306	276 × 110 × 75,75 mm	095135017	4024125117937
right, suitable for order no. 073737306	276 × 110 × 75,75 mm	095135016	4024125117913

**i** ③ Three-dimensional sealing corner with integrated slope for sealing of the joints between the wall and the floor.

wedi Tools® sloped lip-end sealing tape ▪ wall/floor, fleece laminated  
for Fundo Riolito



	length × width × height	order no.	GTIN
left	226 × 100 × 65 mm	095135014	4024125113809
right	226 × 100 × 65 mm	095135015	4024125113823
left, suitable for order no. 073737306	276 × 110 × 75 mm	095135019	4024125117975
right, suitable for order no. 073737306	276 × 110 × 75 mm	095135018	4024125117951

**i** ③ Three-dimensional sealing corner with integrated slope for sealing of the joints between the wall and the floor.


wedi Tools® sloped lip-end sealing tape ▪ fleece laminated  
for Fundo Riolito neo, Plano Linea



	length × width × height	order no.	GTIN
left	160 × 100 × 65 mm	095135005	4024125112383
right	160 × 100 × 65 mm	095135004	4024125112369
left, suitable for order no. 075100005	160 × 100 × 75 mm	095135007	4024125117890
right, suitable for order no. 075100005	160 × 100 × 75 mm	095135006	4024125117876

**i** ③ Three-dimensional sealing corner with integrated slope for sealing of the joints between the wall and the floor.

wedi Tools® sealing gaiter ▪ fleece laminated, extendable  
for sealing



	length × width × thickness	content	order no.	GTIN
suitable for $\frac{1}{2}$ – $\frac{3}{4}$ " feed-throughs	120 × 120 × 1 mm	10 units / sachet	095120050	4024125067591
suitable for DN 40 – 75 feed-throughs	150 × 150 × 1 mm	5 units / sachet	095110361	4024125095242
suitable for DN 90 – 125 ducts and for fittings	250 × 250 × 1 mm	5 units / sachet	095110362	4024125095266

## wedi Tools® butyl bathtub sealing tape ▪ fleece laminated for sealing



	length × width × thickness	order no.	GTIN
	3,6 m × 120 mm × 1 mm	095110360	4024125095204
incl. self-adhesive decoupling strip	3,6 m × 120 mm × 1 mm	095110363	4024125104043

**i** ③ For reliable sealing of bathtubs and shower trays made from steel enamel, acrylic or similar materials

## wedi Subliner® Dry sealing membrane



	length × width × thickness	order no.	GTIN
	5 m × 1 m × 0,5 mm	095110305	4024125007764
	30 m × 1 m × 0,5 mm	095110332	4024125007771

**i** ③ Flexible sealing membrane for medium and high wet areas inside.

outer packaging/pallet edging

③ 095110305: 96 rolls/palletedging

③ 095110332: 40 rolls/pallet edging

accessories

③ required: wedi 520 flexible sealant

## wedi Subliner® Dry & Flex sealing and decoupling membrane



	length × width × thickness	order no.	GTIN
	15 m × 1 m × 0,8 mm	095110315	4024125007795

**i** ③ Sealing and decoupling membrane for medium and high wet areas inside and outside with crack bypassing properties.

outer packaging/pallet edging

③ pallet edging 36 rolls

accessories

③ required: wedi 520 flexible sealant

## wedi Subliner® Flex decoupling membrane



	length × width × thickness	order no.	GTIN
	30 m × 1 m × 0,5 mm	095110331	4024125007788

**i** ③ Tension-reducing membrane for inside.

outer packaging/pallet edging

③ pallet edging 18 units

accessories

③ required: wedi 320 universal tile adhesive

## wedi Tools® joint reinforcement tape ▪ self-adhesive for decoupling



	length × width	order no.	GTIN
	25 m × 125 mm	095225053	4024125009256
	50 m × 600 mm	095215052	4024125009249

**i** ③ Self-adhesive tape to reinforce and stabilise structural panel joints.

wedi Tools® joint reinforcement tape  
for decoupling



	length × width	order no.	GTIN
	25 m × 125 mm	095220053	4024125522021
	50 m × 600 mm	095210052	4024125520010

**i** ③ Tape to reinforce and stabilise structural panel joints.

wedi Tools® edge insulation strips



	length × width × thickness	order no.	GTIN
	25 m × 150 mm × 5 mm	011255006	4024125094696

**i** ③ Prevents sound transmission between the Fundo shower element and adjacent areas (wall, screed, etc.)

outer packaging/pallet edging  
③ content per box 8 units

wedi Tools® washer • galvanised metal, diameter 35 mm  
for mounting



	content	order no.	GTIN
	100 units / box	094860106	4024125480109
	10 units / sachet	094862106	4024125009829

**i** ③ Prevents the screws from being driven into the XPS foam

③ 5 pieces per m² with ceramic tiles; 8 pieces per m² with large format tiles or natural stone

wedi Tools® washer • stainless steel V₂A , diameter 35 mm  
for mounting



	content	order no.	GTIN
	100 units / box	094860239	4024125009508
	10 units / sachet	094861239	4024125091886

**i** ③ Prevents the screws from being driven into the XPS foam

③ 5 pieces per m² with ceramic tiles; 8 pieces per m² with large format tiles or natural stone

## wedi Tools® metal dowels ▪ galvanised metal for mounting

	content	order no.	GTIN
length 50 mm	100 units / box	094920104	4024125080811
length 80 mm	100 units / box	094920108	4024125490047
length 80 mm	10 units / sachet	094923108	4024125078016
length 110 mm	100 units / box	094920111	4024125490054
length 110 mm	10 units / sachet	094922111	4024125000932
length 140 mm	100 units / box	094920114	4024125490061
length 140 mm	10 units / sachet	094922114	4024125000949
length 200 mm	100 units / box	094920122	4024125491006

 ③ For the mechanical fixing of the building board systems on a wide variety of surfaces

 ③ Nailed dowels hole 8 mm

③ Anchoring depth in the sub-surface: at least 35 mm

③ 5 dowels per m<sup>2</sup>

## wedi Tools® metal dowels ▪ stainless steel V<sub>2</sub>A for mounting

	content	order no.	GTIN
length 80 mm	100 units / box	094940108	4024125491082
length 80 mm	10 units / sachet	094941108	4024125091824
length 110 mm	100 units / box	094940111	4024125491112
length 110 mm	10 units / sachet	094941111	4024125091848
length 140 mm	100 units / box	094940114	4024125490085
length 140 mm	10 units / sachet	094941114	4024125091862

 ③ For the mechanical fixing of the building board systems on a wide variety of surfaces

 ③ Nailed dowels hole 8 mm

③ Anchoring depth in the sub-surface: at least 35 mm

③ 5 dowels per m<sup>2</sup>

## wedi Tools® cavity dowels set for mounting

	content	order no.	GTIN
	1 set / sachet	206553004	4024125093538

 ③ For fastening hooks, towel rails and small pieces of mounted furniture to tiled wedi structural panels.

③ For loads of up to 25 kg

 scope of delivery

③ 10 × raw plugs (6.0 × 35 mm)

③ 10 × screws (4.5 × 60 mm)

## wedi Tools® fixings set • composite material for mounting



	content	order no.	GTIN
	1 set / box	206553001	4024125093040

- i** ③ For mounting heavy objects on tiled or plastered wedi building boards. Depending on the load, the larger or smaller reinforcing plate contained in the set can be used. The plate is easily integrated into a suitable recess in the wedi structural panel with wedi 610 adhesive sealant.  
③ For bond tensile strength values of up to 160 kg

scope of delivery  
③ 12 × small panels (100 × 100 × 8 mm)  
③ 2 × elongated panels (400 × 50 × 15 mm)

## wedi Top Wall installation set for mounting




	content	order no.	GTIN
	1 set	076449017	4024125121927

- i** ③ For installation of wedi Top Wall ready-to-use surfaces. Also provides a uniform joint appearance.

scope of delivery  
③ 4 × levelling caps, 2 mm  
③ 4 × wood wedges

## wedi Tools® edge strips

for Fundo shower elements with point or linear drainage



	length × width × height	order no.	GTIN
	1.600 × 50 × 40 mm	010007000	4024125114097
	1.800 × 60 × 40 mm	010007001	4024125114110
	1.800 × 100 × 40 mm	010007002	4024125114134

- i** ③ As a border for the shower element, the edge strips create an even surface, for a glass partition wall, for example

## wedi Tools® connector • 90°

for mounting



	content	order no.	GTIN
	1 unit	095300191	4024125078108
	5 units / sachet	095303191	4024125009898

- i** ③ For initial connection of the wedi building board systems outer packaging/pallet edging  
③ 095300191: 100 units/content per box  
③ 095303191: 30 sachets/content per box

## wedi Tools® connector ■wall for mounting



	content	order no.	GTIN
	1 unit	095300192	4024125078115
	5 units / sachet	095303192	4024125009904

- i** ⓘ For initial connection of the wedi building board systems **w** ⓘ outer packaging/pallet edging  
 ⓘ 095300192: 100 units/content per box  
 ⓘ 095303192: 30 sachets/content per box

## wedi Tools® connector ■180° for mounting



	content	order no.	GTIN
	1 unit	095300193	4024125078122
	5 units / sachet	095303193	4024125009911

- i** ⓘ For initial connection of the wedi building board systems **w** ⓘ outer packaging/pallet edging  
 ⓘ 095300193: 100 units/content per box  
 ⓘ 095303193: 10 sachets/content per box

## wedi Nonstep® Plan sound insulation mat



	length × width × thickness	order no.	GTIN
	1.196 × 590 × 6 mm	011220000	4024125122016

- i** ⓘ suitable for direct tiling  
 ⓘ Impact sound deadening: 14 dB

## wedi Nonstep® Plus sound insulation composite panel




	length × width × thickness	order no.	GTIN
	1.200 × 600 × 12 mm	011200000	4024125120012

- i** ⓘ suitable for direct tiling  
 ⓘ Impact sound deadening: 16 dB

## wedi Tools® protective covering fabric




length × width	order no.	GTIN
25 × 1 m	084600100	4024125460019




# 06

## Technical data

The world of wedi systems contains a multitude of individual elements which can be variably used and modularly expanded. So that you can plan purposefully, you will find an overview of the various formats, sizes and technical requirements on the next few pages. So you are always on the safe side.





### wedi Fundo drains

The wedi Fundo drains convince customers with their low installation height and 100% waterproofing in the system. Whether for point or linear drainage – there are a wide range of variants for vertical and horizontal designs available to match every wedi Fundo shower element.

### Integrated drainage

Various shower elements with integrated drainage are available in the wedi Fundo range. These offer a variety of benefits: improved reliability for the installer since critical sealing details are already integrated into the system and enormous time saving since required installation steps are reduced to a minimum.




### Construction height = wedi Fundo shower element + wedi Fundo drain


When searching for the right shower element, one question is particularly important: what is the construction height of the complete shower system? It is frequently the case that products are not advertised with the actual construction height, but instead with the shell dimension at the drain. What is actually required, however, is the highest point on the outer edge of an element. That's why the maximum height of the shower element is always indicated on wedi products.




Fundo Slim shower element, drain central, 900 x 900 mm



Fundo Slim shower element, drain central, 1.200 x 1.200 mm





Fundo Slim shower element, drain offset, 1.200 x 900 mm





## Fundo Top® Slim-Kit shower floor kit






Fundo Slim shower element, drain offset, 1.400 × 900 mm




Fundo Slim shower element, drain offset, 1.600 × 1.000 mm




Fundo Slim shower element, drain offset, 1.800 × 900 mm








## Fundo Integro® complete shower element ■ DN 50




Fundo Integro, drain central, 900 × 900 mm




Fundo Integro, drain central, 1.000 × 1.000 mm

Fundo Integro, drain central,  
1.200 × 1.200 mmFundo Integro, drain central, short side connection,  
1.200 × 900 mmFundo Integro, drain central, long side connectione,  
1.200 × 900 mmFundo Integro, drain offset,  
1.200 × 900 mm


## Fundo Integro® complete shower element ■ DN 50




Fundo Integro, drain offset, 1.400 x 900 mm




Fundo Integro, drain offset, 1.600 x 1.000 mm




Fundo Integro, drain offset, 1.800 x 900 mm




## Fundo Plano® complete shower element ■ drain central, DN 40






Fundo Plano, drain central, 900 × 900 mm



Fundo Plano, drain central, 1.000 × 1.000 mm




1.000


Fundo Plano, drain central, short side connection,  
1.200 × 900 mmFundo Plano, drain central,  
1.200 × 1.200 mmFundo Plano, drain central, long side connection,  
1.200 × 900 mm

1.200


## Fundo Plano® complete shower element ▪ drain offset, DN 40




Fundo Plano, drain offset,  
1.400 × 900 mm




Fundo Plano, drain offset,  
1.600 × 1.000 mm




## Fundo Primo® shower element ▪ square, drain central




Fundo Primo, drain central, 900 × 900 mm




Fundo Primo, drain central, 1.000 × 1.000 mm




Fundo Primo, drain central, 1.200 × 1.200 mm




Fundo Primo, drain central, 1.500 × 1.500 mm




## Fundo Primo® shower element




Fundo Primo, drain offset, 900 × 900 mm




Fundo Primo, drain offset, 1.000 × 1.000 mm




Fundo Primo, drain offset, 1.200 × 1.200 mm




Fundo Primo, drain offset, 1.500 × 1.500 mm




Fundo Primo, drain central, 900 × 750 mm




Fundo Primo, drain central, 1.200 × 900 mm




## Fundo Primo® shower element




Fundo Primo, drain central, 1.400 × 900 mm




Fundo Primo, drain central, 1.400 × 1.000 mm




Fundo Primo, drain central, 1.500 × 900 mm




Fundo Primo, drain central, 1.500 × 1.000 mm




Fundo Primo, drain central, 1.800 × 900 mm




Fundo Primo, drain offset, 1.200 × 900 mm




## Fundo Primo<sup>®</sup> shower element ■ rectangular, drain offset




Fundo Primo, drain offset, 1.400 × 900 mm




Fundo Primo, drain offset, 1.600 × 900 mm




Fundo Primo, drain offset, 1.600 × 1.000 mm



Fundo Primo, drain offset, 1.800 × 900 mm




Fundo Primo, drain offset, 2.000 × 1.000 mm




## Fundo Ligno<sup>®</sup> shower element ■ square, drain central




Fundo Ligno, drain central, 900 × 900 mm  
Top view




Bottom view




Fundo Ligno, drain central, 1.200 × 1.200 mm  
Top view




Bottom view




## Fundo Ligno® shower element




Fundo Ligno, drain central, 1.500 × 1.500 mm  
Top view




Bottom view




Fundo Ligno, drain offset, 900 × 900 mm  
Top view




Bottom view




Fundo Ligno, drain offset, 1.200 × 1.200 mm  
Top view




Bottom view




Fundo Ligno<sup>®</sup> shower element ■ rectangular, drain offset


Fundo Ligno, drain offset, 1.200 × 900 mm  
Top view




Bottom view




Fundo Ligno, drain offset, 1.600 × 900 mm  
Top view




Bottom view




### Fundo Borgo® shower element ■ quadrant, drain offset



### Fundo Trollö® shower element ■ round, drain central



### Fundo Nautilo® shower element ■ shell-shaped




## wedi Fundo® substructure set


for Fundo shower elements with point or linear drainage




Fundo substructure set, point drain vertical, substructure height 60 mm



Fundo substructure set, point drain Mini Max, substructure height 60 mm




Fundo substructure set, point drain horizontal, substructure height 90 mm




## wedi Fundo® sloping board


for Fundo Primo



wedi Fundo sloping board 1 for Fundo Primo




wedi Fundo sloping board 2 for Fundo Primo




### wedi Fundo® point drain ▪ vertical, DN 50

for Fundo shower elements with point drainage




### wedi Fundo® point drain fire protection collar ▪ vertical, DN 50 / DN 70

for Fundo shower elements with point drainage




### wedi Fundo® point drain ▪ vertical, DN 70

for Fundo shower elements with point drainage




### wedi Fundo® point drain Mini Max ▪ horizontal, extra flat, DN 40

for Fundo shower elements with point drainage



## wedi Fundo® point drain • horizontal, DN 50

for Fundo shower elements with point drainage




## Fundo Top® ready-to-use surface


for Fundo Primo




Fundo Top for Fundo Primo, 900 × 900 mm




Fundo Top for Fundo Primo, 1.200 × 900 mm




Fundo Top for Fundo Primo, 1.200 × 1.200 mm




Fundo Top for Fundo Primo, 1.200 × 900 mm



Fundo Top for Fundo Primo, 1.400 × 900 mm




Fundo Top for Fundo Primo, 1.600 × 1.000 mm




Fundo Top® ready-to-use surface  
for Fundo Primo




Fundo Top for Fundo Primo, 1.800 × 900 mm




Fundo Top for Fundo Primo, 1.800 × 900 mm




Fundo Top® ready-to-use surface  
for Fundo Plano




Fundo Top for Fundo Plano, 900 × 900 mm




Fundo Top for Fundo Plano, 1.200 × 900 mm




Fundo Top for Fundo Plano, 1.600 × 1.000 mm




## Fundo Plano® Linea complete shower element ▪ drain offset, close to the wall, DN 40




Fundo Plano Linea, 900 × 900 mm,  
channel length 300 mm




Fundo Plano Linea, 900 × 900 mm,  
channel length 800 mm




Fundo Plano Linea, 1.200 × 800 mm,  
channel length 700 mm




Fundo Plano Linea, 1.200 × 900 mm,  
channel length 300 mm




Fundo Plano Linea, 1.200 × 900 mm,  
channel length 800 mm




Fundo Plano Linea, 1.200 × 1.000 mm,  
channel length 900 mm





## Fundo Riolito®neo shower element ■ drain offset, close to the wall




Fundo Riolito neo, 900 × 900 mm,  
channel length 300 mm





Fundo Riolito neo, 900 × 900 mm,  
channel length 800 mm




Fundo Riolito neo, 1.000 × 1.000 mm,  
channel length 800 mm




Fundo Riolito neo, 1.200 × 1.200 mm,  
channel length 1.100 mm




Fundo Riolito neo, 1.200 × 800 mm,  
channel length 700 mm




Fundo Riolito neo, 1.200 × 900 mm,  
channel length 800 mm




## Fundo Riolito®neo shower element ■ drain offset, close to the wall




Fundo Riolito neo, 1.200 × 1.000 mm,  
channel length 900 mm




Fundo Riolito neo, 1.400 × 900 mm,  
channel length 700 mm




Fundo Riolito neo, 1.600 × 1.000 mm,  
channel length 800 mm




Fundo Riolito neo, 1.800 × 900 mm,  
channel length 800 mm




## Fundo Riolito® shower element • drain offset, at a distance from the wall




Fundo Riolito, 900 × 900 mm,  
channel length 300 mm




Fundo Riolito, 900 × 900 mm,  
channel length 800 mm




Fundo Riolito, 1.000 × 1.000 mm,  
channel length 800 mm




Fundo Riolito, 1.200 × 1.200 mm,  
channel length 1.100 mm




Fundo Riolito, 1.200 × 800 mm,  
channel length 700 mm




Fundo Riolito, 1.200 × 900 mm,  
channel length 800 mm




## Fundo Riolito® shower element ▪ drain offset, at a distance from the wall




Fundo Riolito, 1.200 × 1.000 mm,  
channel length 900 mm




Fundo Riolito, 1.400 × 900 mm,  
channel length 700 mm




Fundo Riolito, 1.600 × 1.000 mm,  
channel length 800 mm




Fundo Riolito, 1.800 × 900 mm,  
channel length 800 mm




## Fundo Riofino® shower element ▪ drain central




Fundo Riofino, 900 × 900 mm




Fundo Riofino, 1.000 × 1.000 mm




## Fundo Riofino<sup>®</sup> shower element ■ drain central




Fundo Riofino, 1.200 × 1.200 mm





Fundo Riofino, 1.200 × 900 mm




Fundo Riofino, 1.800 × 900 mm




wedi Fundo® sloping board  
for Fundo RioLito, RioLito neo, Riofino




wedi Fundo® channel drain ▪ vertical, DN 50  
for Fundo shower elements with linear drainage




wedi Fundo® channel drain fire protection ▪ vertical, DN 50  
for Fundo shower elements with linear drainage




wedi Fundo® channel drain Mini Max ▪ horizontal, extra flat, DN 40  
for Fundo shower elements with linear drainage



wedi Fundo® channel drain ▪ horizontal, DN 50  
for Fundo shower elements with linear drainage



Fundo Discreto® attachment element  
for Fundo Riolito, Riolito neo, Plano Linea





## Fundo Discreto® attachment element



for Fundo Riolito, Riolito neo, Plano Linea



Fundo Discreto attachment element, channel length 900 mm



Fundo Discreto attachment element, channel length 1.100 mm



## wedi Fundo® slope profile ■ stainless steel V<sub>2</sub>A brushed

for Fundo Riolito neo, Plano Linea



## wedi Fundo® slope profile wall ■ stainless steel V<sub>2</sub>A brushed


for Fundo Riolito neo, Plano Linea



wedi Fundo® end profile ■ stainless steel V<sub>2</sub>A brushed  
for Fundo Riolito neo, Plano Linea




wedi Fundo® slope profile ■ stainless steel V<sub>2</sub>A brushed  
for Fundo Riolito




wedi Fundo® slope profile wall ■ stainless steel V<sub>2</sub>A brushed  
for Fundo Riolito




Fundo Top® ready-to-use surface  
for Fundo Riolito neo




Fundo Top for Fundo Riolito neo, 1.200 × 900 mm




Fundo Top for Fundo Riolito neo, 1.600 × 1.000 mm



## Fundo Top® ready-to-use surface for Fundo Riolito neo




Fundo Top for Fundo Riolito neo, 1.800 × 900 mm




## wedi Top® Wall ready-to-use surface



Top Wall ready-to-use surface, 2.500 × 900 mm




Top Wall ready-to-use surface, 2.500 × 1.200 mm




## wedi Sanoasa® bench 1 • finish straight, slope to front



wedi Sanoasa bench 1, 900 mm




wedi Sanoasa bench 1, 1.200 mm




### wedi Sanoasa® bench 2 ■ finish angled, slope to front



wedi Sanoasa bench 2, 900 mm




wedi Sanoasa bench 2, 1.200 mm




### wedi Sanoasa® bench 3 ■ finish rounded, slope to front



wedi Sanoasa bench 3, 900 mm




wedi Sanoasa bench 3, 1.200 mm




### wedi Sanoasa® bench 4 ■ straight, slope to front




wedi Sanoasa bench 4, 1.200 mm




### wedi Sanoasa® corner seat element




wedi Sanoasa corner seat element, size M




wedi Sanoasa corner seat element, size L




## wedi Sanoasa® Comoda bench/base element




wedi Sanoasa Comoda bench element, finish straight





wedi Sanoasa Comoda bench element, finish round





## wedi Sanoasa® Comoda corner bench / base element • 90°



wedi Sanoasa Comoda corner bench element 90°, transition straight




wedi Sanoasa Comoda corner bench element 90°, transition rounded




wedi Sanoasa® Comoda end bench element ▪ left, slope to front  
for Sanoasa Comoda end base element



wedi Sanoasa Comoda end bench element left,  
Corner radius 200 mm




wedi Sanoasa Comoda end bench element left,  
Corner radius 600 mm




wedi Sanoasa® Comoda end bench element ▪ right, slope to front  
for Sanoasa Comoda end base element



wedi Sanoasa Comoda end bench element right,  
Corner radius 200 mm



wedi Sanoasa Comoda end bench element right,  
Corner radius 600 mm




### wedi Sanoasa® Comoda end base element


for Sanoasa Comoda end bench element



wedi Sanoasa Comoda end base element,  
Corner radius 200 mm




wedi Sanoasa Comoda end base element,  
Corner radius 600 mm




### wedi Sanoasa® Comoda armrest


for Sanoasa Comoda bench element




### wedi Sanoasa® Bellina bench/base element




wedi Sanoasa Bellina bench element, finish length straight




wedi Sanoasa Bellina bench element, finish length round




## wedi Sanoasa® Bellina corner bench / base element ▪ 90°




## wedi Sanoasa® Bellina end bench element ▪ left, slope to front for Sanoasa Bellina end base element




## wedi Sanoasa® Bellina end bench element ▪ right, slope to front for Sanoasa Bellina end base element




## wedi Sanoasa® Bellina end base element for Sanoasa Bellina end bench element




wedi Sanoasa Bellina end base element,  
Corner radius 200 mm





wedi Sanoasa Bellina end base element,  
Corner radius 486 mm





## wedi Sanoasa® Bellina armrest for Sanoasa Bellina bench element




## wedi Sanoasa® lounger 1




## wedi Sanoasa® lounger 2




### wedi Sanoasa® lounger 3




### wedi Sanoasa® lounger 4




### wedi Sanoasa® lounger 5




### wedi Sanbath® Cube wash stand




wedi Sanbath® Wave wash basin




## wedi Sanbath® Cube tub ▪ DN 50




wedi Sanbath® Wave tub • DN 50



wedi Sanbath® Cube shower unit



## wedi Sanbath® Wave shower unit



**NEW wedi PreLine ▪ Building board for laying hot water heating systems**




wedi PreLine, 1.240 × 600 mm




thickness 30 mm




thickness 50 mm



thickness 40 mm




thickness 60 mm




### wedi Sanwell® niche




wedi Sanwell niche 20/40, frame width 10 mm




wedi Sanwell niche 30/60, frame width 10 mm




wedi Sanwell niche 20/40, frame width 12,5 mm




wedi Sanwell niche 30/60, frame width 12,5 mm



## wedi Sanwell® wall element



## Fundo Trollo® wall element for Fundo Trollo shower element




## Fundo Trollo® libero wall element


for Fundo Trollo shower element



Fundo Trollo libero wall element



Fundo Trollo libero extension collar wall




## Fundo Nautilo® wall element


for Fundo Nautilo shower element



Fundo Nautilo wall element



Fundo Nautilo extension collar wall




## Fundo Nautilo® libero wall element


for Fundo Nautilo shower element





Fundo Nautilo libero wall element



Fundo Nautilo libero extension collar wall



## wedi Eterna glass door





# 07

## Good to know

wedi offers more. On the following pages, we give you an overview of all of the services wedi offers to its customers. From project business through commitment to reliability and standards to the voluntarily extended manufacturer's guarantee. Real added value for maximum peace of mind.






### Spa & Wellness made by wedi

The wedi customised building service allows for the creation of technically challenging spa and wellness facilities. Whether for private spas or public wet rooms, simple showers or complex sauna environments – the wedi project team works together with architects, planners and facility builders to develop a comprehensive concept, produces desired wellness elements and equips them with necessary connections and the right technology.



### Sealing in the wedi system


The comprehensive wedi sealing system offers a wide range of sealing solutions, which can be combined with one another for a wide variety of trades and exposure classes. Whether it's butt joints between building boards, transitions to the shower area, intersections or expansion and contraction joints – the entire wet room can be permanently and reliably sealed with wedi.



### Real guarantee opposed to just a warranty


wedi customers benefit from a 10-year guarantee, far longer than the statutory warranty, on the entire price list range. For certified specialist businesses, wedi also offers extended guarantee services on a wedi system shower and the entire wedi bathroom – signed and sealed.

# Spa & Wellness made by wedi



## Steam baths

wedi offers countless options for designing a steam bath. From the choice of the cabin geometry through the surface design of the roof to the technical equipment and furnishing, a multitude of details can be planned and realised according to the customer's wishes.



## Modular showers

wedi system products form the perfect basis for modular showers which are manufactured individually for the actual intended use and can be equipped with a wide range of additional elements – 100% waterproof with easy adhesion and no additional sealing.

## Mounting parts for underwater areas

Whether steps, benches or loungers with design freedom – wedi designs and manufactures a wide variety of mounting parts for underwater areas tailored to on-site specifications, incl. integrated recesses upon request e.g. for massage nozzles or lighting technology to be installed on site.



# A real guarantee opposed to just a warranty

So that safety is guaranteed in your system



0799 (System 2+)

The CE labelling of the wedi products documents their tested and approved use as a sealing system for wet rooms.



Systems from wedi are labelled in accordance with the French VOC regulations. A+ stands for exceptionally low emission, non-hazardous product systems.



The wedi product systems satisfy the construction guidelines and regulations that are applicable in England, Wales, Northern Ireland and Scotland.



Modular system solutions from wedi have a wide range of differing technical building approvals and test certificates.



The integrated wedi environmental management system is certified by the independent certification body GUTcert: certified in 2019 according to ISO 14001.



The wedi product systems have been tested and approved in France by the Centre Scientifique et Technique du Bâtiment (CSTB), a technical and scientific institute which deals with issues relating to construction quality and building safety.



The barrier-free wedi products have been tested, assessed and certified for their conformity by DIN CERTCO Gesellschaft für Konformitätsbewertung mbH.



The wedi construction systems are labelled with the leading Finnish emissions classification. In this context, M1 stands for the highest quality.



The Norwegian test seal, which corresponds to the European requirements, certifies the high technical quality of the wedi product systems.



The wedi quality management system and the high product quality are indicated by the Finnish VTT test seal.



The MK test seal qualifies wedi products for use in Denmark in accordance with the country-specific guidelines, norms and standards.

## The wedi quality guarantee

With the extended guarantee services on products and systems, wedi sets new standards in quality leadership. wedi offers not only a statutory warranty, but also a voluntary additional performance commitment in the form of the 10 year quality guarantee. The unique guarantee promise is documented, signed and sealed, for every wedi customer.



# Sealing in the wedi system—everything from a single source

The right solution for every requirement

Sealing is one of the critical steps in the building and renovation of bathrooms, in particular because various trades work together on site. That's why wedi has developed a sealing concept to cover all areas of application such as edge joints on walls and floors, transitions to the shower area, all types of intersections and expansion and contraction joints. wedi offers the right sealing solution for every purpose. Perfectly coordinated, simple and quick to implement and extremely reliable and durable.



## Strength is in the details



1

Joint sealing of walls and floors with wedi 520 and sealing tape or with wedi 610 and joint reinforcement tape



2

Sealing of transitions to the shower area or expansion and contraction joints with wedi 520 and sealing tape



3

Sealing of intersections of all types with wedi sealing collars, available in various sizes

## Everything sealed? Safely so!

wedi sealing systems for wet rooms are tested and certified in accordance with national and international standards. Whether it's CE labelling or DIN standards – both the individual products and the complete system structures from wedi are thoroughly tested in accordance with the strictest quality and safety criteria. The result: lasting reliability in the system.




# Information about tiling


## Maximum tile sizes for round wedi elements

Size	R 50	R 100	R 150	R 200	R 250	R 300	R 350	R 400	R 450	R 500	R 750	R 875
max. tile size	10 mm	20 mm	20 mm	20 mm	20 mm	50 mm	100 mm					


**i** ③ The radii of the wedi products can be taken from the respective technical drawings.




## Fundo shower elements tiling examples




Fundo Plano      Fundo Primo



Fundo Ligno



Fundo Trollo




Fundo Rioluto neo



# Find the right product quickly

Product	Page	Product	Page		
	Drawing	Product	Drawing	Product	
Bathboard Shower shower tray cladding.....	67	Fundo drain grid 1.2 .....	21		
Bathboard bath cladding.....	66	Fundo drain grid 1.3.....	21		
Construct.....	65	Fundo drain grid 2.1.....	21		
Eterna glass door .....	126.....70	Fundo drain grid 2.2.....	22		
Fundo Borgo shower element .....	98.....16	Fundo drain grid 2.3.....	22		
Fundo Discreto attachment element .....	110.....37	Fundo drain grid 3.1.....	22		
Fundo Integro complete shower element .....	88.....13	Fundo drain grid 3.2.....	22		
Fundo Ligno shower element .....	95.....15	Fundo drain grid 3.3.....	22		
Fundo Nautilo extension collar wall .....	125.....69	Fundo drain grid 4.1.....	23		
Fundo Nautilo libero extension collar wall.....	126.....69	Fundo drain grid 4.2.....	23		
Fundo Nautilo libero wall element .....	126.....69	Fundo drain grid 5.1.....	23		
Fundo Nautilo shower element .....	98.....17	Fundo drain grid 6.1.....	23		
Fundo Nautilo wall element .....	125.....69	Fundo drain grid 7.1 .....	23		
Fundo Plano Linea complete showerelement .....	103.....32	Fundo drain-substructure element .....	18		
Fundo Plano complete showerelement .....	90.....13	Fundo end profile .....	112.....41		
Fundo Primo shower element .....	91.....14	Fundo frame .....	24		
Fundo Riofino shower element .....	107.....34	Fundo glass swing door.....	70		
Fundo Rioli neo shower element .....	104.....32	Fundo point drain Mini Max .....	100.....20		
Fundo Rioli neo shower element .....	106.....33	Fundo point drain .....	100.....18		
Fundo Top Slim-Kit shower floor kit .....	86.....12	Fundo point drain fire protection collar .....	100.....19		
Fundo Top channel cover set.....	45	Fundo sealing set .....	75		
Fundo Top cladding.....	27	Fundo slopeprofile .....	111.....39		
Fundo Top ready-to-use surface .....	101.....25	Fundo slope profile wall .....	111.....40		
Fundo Trollo extension collar wall .....	124.....68	Fundo sloping board .....	99.....18		
Fundo Trolley libero extension collar wall .....	125.....68	Fundo sloping board .....	109.....35		
Fundo Trolley libero wall element .....	125.....68	Fundo substructure set .....	99.....35		
Fundo Trolley shower element .....	98.....17	Fundo substructure set .....	99.....17		
Fundo Trolley wall element .....	124.....68	I-Board WC dry wall installation cladding .....	67		
Fundo channel cover exclusive .....	37	Mensolo L angle unit .....	66		
Fundo channel cover standard .....	37	Mensolo U angle unit .....	66		
Fundo channel cover standard plus .....	38	Nonstep Plan sound insulation mat .....	81		
Fundo channel cover tileable .....	38	Nonstep Plus sound insulation composite panel.....	81		
Fundo channel drain Mini Max .....	110.....36	PreLine Building board .....	123.....66		
Fundo channel drain .....	109.....35	Sanbath Cube shower unit .....	122.....60		
Fundo channel drain fire protection .....	109.....36	Sanbath Cube tub .....	121.....59		
Fundo channel frame.....	38	Sanbath Cube wash stand .....	120.....59		
Fundo drain grid 1.1 .....	21	Sanbath Wave shower unit .....	122.....60		

Product	Page	Product	Page		
		Drawing	Product		
Sanbath Wave tub .....	121 .....	60	building board XXL.....	64	
Sanbath Wave wash basin .....	121 .....	59	building board.....	64	
Sanoasa Bellina Base element .....	117 .....	54	butyl bathtub sealing tape .....	77	
Sanoasa Bellina armrest .....	119.....	57	cavity dowels set.....	79	
Sanoasa Bellina bench element.....	117.....	54	connector.....	80	
Sanoasa Bellina corner base element .....	118 .....	55	corner .....	75	
Sanoasa Bellina corner bench element .....	118.....	55	edge insulation strips.....	78	
Sanoasa Bellina end base element .....	119.....	56	edge strips .....	80	
Sanoasa Bellina end bench element .....	118.....	56	fixings set.....	80	
Sanoasa Comoda Base element .....	115.....	51	joint reinforcement tape .....	77	
Sanoasa Comoda armrest .....	117 .....	53	metal dowels.....	79	
Sanoasa Comoda benchelement .....	115.....	50	protective covering fabric .....	82	
Sanoasa Comoda corner base element .....	115.....	52	sealing gaiter .....	76	
Sanoasa Comoda corner bench element .....	115.....	51	sealing tape .....	75	
Sanoasa Comoda end base element.....	117.....	53	sloped lip-end sealing tape.....	76	
Sanoasa Comoda end bench element.....	116.....	52	washer.....	78	
Sanoasa bench 1 .....	113 .....	49	wedi 320 universal tile adhesive.....	74	
Sanoasa bench 2 .....	114 .....	49	wedi 360 flexible medium-bed mortar, quick.....	74	
Sanoasa bench 3 .....	114 .....	49	wedi 520 flexible sealant .....	75	
Sanoasa bench 4 .....	114.....	50	wedi 610 adhesive sealant.....	74	
Sanoasa corner seat element .....	114.....	50	wedi 620 sealant.....	74	
Sanoasa electric heating temperature controller .....	59				
Sanoasa lounger 1 .....	119 .....	57			
Sanoasa lounger 2.....	119 .....	57			
Sanoasa lounger 3.....	120 .....	58			
Sanoasa lounger 4 .....	120.....	58			
Sanoasa lounger 5 .....	120.....	58			
Sanwell niche .....	123.....	67			
Sanwell wall element .....	124.....	67			
Subliner Dry sealing membrane.....	77				
Subliner Dry & Flex sealing and decoupling membrane.....	77				
Subliner Flex decoupling membrane.....	77				
Top Wall installation set.....	80				
Top Wall ready-to-use surface .....	113 .....	48			
Vapor 85 building board.....	64				
Vapor .....	65				
building board XL .....	64				



③ Australia  
③ Austria  
③ Belgium  
③ Bosnia-Herzegovina  
③ Canada  
③ Croatia  
③ Czech Republic

③ Denmark  
③ Estonia  
③ Finland  
③ France  
③ Germany  
③ Great Britain  
③ Greece

③ Hungary  
③ Iceland  
③ Ireland  
③ Italy  
③ Latvia  
③ Lithuania  
③ Luxembourg

③ Netherlands  
③ Norway  
③ Poland  
③ Portugal  
③ Romania  
③ Russia  
③ Serbia

③ Slovenia  
③ Spain  
③ Sweden  
③ Switzerland  
③ Turkey  
③ Ukraine  
③ USA

 wedi®

wedi GmbH  
Hollefeldstraße 51  
48282 Emsdetten  
Germany

Telephone + 49 25 72 156-0  
Fax + 49 25 72 156-133

info@wedi.de  
www.wedi.eu

